



CORPORATION

Shurjoint Grooved Piping Products

Price Schedule: G-2010	
Effective Date:	June 1 2010
Subject to Change Without Notice	

GENERAL NOTES

MINIMUM INVOICE: \$50.00 net

PRICES: All prices are each.
Taxes extra as applicable

F.O.B. : Our plant, stocking warehouse.
Any single order having a total order value of \$7500 or more for shipment to a single destination, will have full freight allowed at the lowest published rate for the most economical way. Shipments to remote locations may, at our option, be subject to less than full freight allowance.

PAYMENT TERMS: Net 30 days.

OTHER TERMS: The "General Terms and Conditions" apply to all orders.

ONTARIO WAREHOUSE 1387 Cornwall Road Oakville, ON L6J 7T5 PHONE 905-842-CCTF (2283) FAX 905-842-1466 TOLL FREE 1-888-399-CCTF (2283)	ALBERTA WAREHOUSE 5407 – 53rd Avenue NW Edmonton, AB T6B 3G2 PHONE 780-463-8700 FAX 780-463-7433 TOLL FREE 1-800-661-3633	BRITISH COLUMBIA WAREHOUSE #4 – 480 Audley Boulevard Delta, BC V3M 5S4 PHONE 604-540-6177 FAX 604-540-2836 TOLL FREE 1-866-540-6177
HALIFAX SALES OFFICE PHONE 902-466-CCTF (2283)		QUEBEC SALES TOLL FREE 1-888-399-CCTF (2283)

Contents

Section 1.0 Grooved Couplings & Flanges

Couplings -Extra Heavy	Page 8,9
-Flexible	Page 3,4
-Hinged	Page 5
-Large Diameter	Page 5
-Outlet	Page 10
-Reducing	Page 6
-Rigid	Page 7,8

Flanges -ANSI 125/150	Page 11
-ANSI 300	Page 11

Sandwich Plates	Page 12
-----------------	---------

Section 2.0 Grooved Fittings

Adapters	Page 23
Adapter Flanges	Page 24
Adapter Nipples	Page 23,26,27,28
Caps	Page 25
Concentric Reducers	Page 21
Cross	Page 19
Eccentric Reducers	Page 22
Elbows	Page 13,14,15,16
Laterals	Page 19
Reducing Tees	Page 17,18
Tee	Page 16
True Wye	Page 20

Section 3.0 Hole Cut

Grooved Mechanical Tees	Page 30
Threaded Mechanical Tees	Page 29
Saddle-let	Page 30

Section 4.0 Flow Control

Ball Valves	Page 33
Butterfly Valves	Page 33
Check Valves	Page 32
Expansion Joints	Page 31
Suction Diffuser	Page 31
Y-Strainer	Page 31

Section 5.0 Fire Protection

Couplings	Page 34
End-all's	Page 35
Elbows, Tees	Page 34
Valves-Check	Page 36
Valves-Shut-off	Page 35

Section 6.0 Stainless Steel

Ball Valve	Page 43
Butterfly Valves	Page 44
Couplings	Page 37,38
Fittings	Page 39,40,41,42
Flange Adapters	Page 43

Section 7.0 Copper Series

Adapters	Page 49
Butterfly Valves	Page 50
Concentric Reducers	Page 48,49
Couplings-Copper	Page 45
-Transition	Page 45
-Reducing	Page 45
Dielectric Fittings	Page 50
Elbows, Tees & Caps	Page 46,47,48
Flanges	Page 46
Mechanical Tees	Page 50
Reducing Tees	Page 47,48
Y-Strainer	Page 49

Section 8.0 HDP Series

Couplings and Flanges	Page 51,52
-----------------------	------------

Section 9.0 Plain End

Couplings-Wildcat	Page 53
-------------------	---------

Section 10.0 AWWA

Couplings-AWWA	Page 54
Couplings-Transition	Page 54
Fittings	Page 55,56,57
Flanges	Page 54
Sandwich Plates for A512	Page 55

Section 11.0 Spare Parts

Bolts and Nuts	Page 65
Gaskets-Couplings Standard	Page 58
-Couplings Copper	Page 62
-Couplings Extra Heavy	Page 62
-Couplings AWWA	Page 63,64
-Gap Seal	Page 58
-Flange Standard	Page 59
-Flange AWWA	Page 64
-Flange Copper	Page 63
-HDPE	Page 61
-Mech Tees	Page 60,61
-Outlet Coupling	Page 60
-Reducing Cplgs	Page 59

Lubricant	Page 66
Wrenches	Page 66

Section 12.0 Ring Couplings

Ring Joint Couplings	Page 67
----------------------	---------

1.0 Grooved Couplings & Flanges

SHURJOINT #7705 Flexible Coupling

Nom. Size (in)	Approx. Weight (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cplg. with "E" or "T" Gasket (CAN\$)		Cplg. with GapSeal "E" or "T" Gasket (CAN\$)		Spare Parts Plated Bolt & Nut (pcs)	(in)
				Painted	Galv.	Painted	Galv.		
1	1.3	30	1440	12.27	18.00	POA	POA	2	3/8 x 1-3/4
1 ¼	1.5	50	1200	12.27	18.16	15.20	POA	2	3/8 x 2-1/8
1 ½	1.6	40	960	12.27	18.16	15.90	POA	2	3/8 x 2-1/8
2	1.8	30	720	12.27	18.42	16.25	POA	2	3/8 x 2-1/8
2 ½	2	24	576	14.95	18.95	19.25	POA	2	3/8 x 2-1/8
3	2.8	20	550	17.36	25.70	21.70	POA	2	1/2 x 3
3 ½	3.3	-	-	22.50	33.35	-	-	2	1/2 x 3
4	4.1	12	350	25.56	34.49	29.70	POA	2	1/2 x 3
5	5.7	7	230	45.76	54.98	POA	POA	2	5/8 x 3-1/2
6	7	6	170	45.46	60.37	49.90	POA	2	5/8 x 3-1/2
8	12.8	-	80	71.63	99.31	82.50	POA	2	5/8 x 3-1/2
10	18	-	50	122.13	180.79	POA	POA	2	3/4 x 4-3/4
12	23.8	-	40	174.47	258.40	POA	POA	2	7/8 x 6-1/2

Nom. Size (in)	Approx. Weight (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cplg. with Grade "L" Silicone Gasket (CAN\$)		Cplg. with Grade "O" Viton Gasket (CAN\$)		Spare Parts Plated Bolt & Nut (pcs)	(in)
				Painted	Galv.	Painted	Galv.		
1	1.3	30	1440	POA	POA	74.10	POA	2	3/8 x 1-3/4
1 ¼	1.5	50	1200	POA	POA	75.00	POA	2	3/8 x 2-1/8
1 ½	1.6	40	960	22.70	POA	79.40	POA	2	3/8 x 2-1/8
2	1.8	30	720	23.85	POA	84.50	POA	2	3/8 x 2-1/8
2 ½	2	24	576	27.60	POA	93.25	POA	2	3/8 x 2-1/8
3	2.8	20	550	30.50	POA	133.65	POA	2	1/2 x 3
3 ½	3.3	-	-	-	-	-	-	2	1/2 x 3
4	4.1	12	350	42.90	POA	198.05	POA	2	1/2 x 3
5	5.7	7	230	59.65	POA	252.20	POA	2	5/8 x 3-1/2
6	7	6	170	67.25	POA	267.90	POA	2	5/8 x 3-1/2
8	12.8	-	80	119.70	POA	519.70	POA	2	5/8 x 3-1/2
10	18	-	50	230.95	POA	978.50	POA	2	3/4 x 4-3/4
12	23.8	-	40	297.85	POA	1,192.75	POA	2	7/8 x 6-1/2

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

1.0 Grooved Couplings & Flanges

SHURJOINT #7707 Flexible Coupling

Nom. Size (in)	Approx. Weight (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cplg. with "E" or "T" Gasket (CAN\$)		Cplg. with GapSeal "E" or "T" Gasket (CAN\$)		Spare Parts (pcs)	Plated Bolt & Nut (in)
				Painted	Galv.	Painted	Galv.		
¾	1.3	30	1440	16.08	22.70	POA	POA	2	3/8 x 1-3/4
1	1.7	26	1248	16.08	22.70	POA	POA	2	3/8 x 2-1/8
1 ¼	2.1	18	864	16.08	22.70	POA	POA	2	3/8 x 2-1/8
1 ½	2.1	18	864	17.28	24.42	POA	POA	2	1/2 x 2-3/8
2	2.6	28	672	20.84	24.73	POA	POA	2	1/2 x 3
2 ½	2.9	22	528	25.41	29.56	POA	POA	2	1/2 x 3
3	3.3	20	550	27.64	32.59	POA	POA	2	1/2 x 3
4	4.6	12	300	40.26	47.21	POA	POA	2	5/8 x 3-1/2
5	7.2	7	220	61.57	86.88	POA	POA	2	5/8 x 3-1/2
6	8.1	6	150	70.50	85.08	POA	POA	2	3/4 x 4-3/4
8	14.5	-	80	119.66	168.66	POA	POA	2	7/8 x 5-1/2
10	22.4	-	50	198.53	279.89	POA	POA	2	1 x 6-1/2
12	26.4	-	36	226.56	319.36	POA	POA	2	1 x 6-1/2
14	37	-	32	399.94	563.95	POA	POA	2	7/8 x 3-15/16
16	41.8	-	24	524.56	739.70	POA	POA	2	1 x 3-1/2
18	45.8	-	20	614.48	866.38	POA	POA	2	1 x 3-1/2
20	54.8	-	20	919.06	1,088.63	POA	POA	2	1 x 3-1/2
22	62.7	-	-	1,031.04	1,221.25	POA	POA	2	1 x 3-1/2
24	63.8	-	12	1,007.92	1,193.95	POA	POA	2	1 x 3-1/2

Nom. Size (in)	Approx. Weight (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cplg. with Grade "L" Silicone Gasket (CAN\$)		Cplg. with Grade "O" Viton Gasket (CAN\$)		Spare Parts (pcs)	Plated Bolt & Nut (in)
				Painted	Galv.	Painted	Galv.		
¾	1.3	30	1440	-	-	-	-	2	3/8 x 1-3/4
1	1.7	26	1248	25.61	POA	82.22	POA	2	3/8 x 2-1/8
1 ¼	2.1	18	864	25.61	POA	82.80	POA	2	3/8 x 2-1/8
1 ½	2.1	18	864	28.74	POA	89.09	POA	2	1/2 x 2-3/8
2	2.6	28	672	31.20	POA	95.85	POA	2	1/2 x 3
2 ½	2.9	22	528	36.21	POA	106.13	POA	2	1/2 x 3
3	3.3	20	550	39.14	POA	148.99	POA	2	1/2 x 3
4	4.6	12	300	57.30	POA	222.59	POA	2	5/8 x 3-1/2
5	7.2	7	220	92.66	POA	297.77	POA	2	5/8 x 3-1/2
6	8.1	6	150	93.67	POA	307.31	POA	2	3/4 x 4-3/4
8	14.5	-	80	186.27	POA	612.38	POA	2	7/8 x 5-1/2
10	22.4	-	50	331.85	POA	1,119.21	POA	2	1 x 6-1/2
12	26.4	-	36	378.08	POA	1,331.25	POA	2	1 x 6-1/2

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

1.0 Grooved Couplings & Flanges

SHURJOINT #7707L Large Diameter Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)		(pcs)	(in)
				Painted	Galv.		
26	145	-	-	1,669.61	1,977.62	12	7/8 x 3-15/16
28	180	-	-	2,098.83	2,486.05	12	7/8 x 3-15/16
30	209	-	-	2,453.08	2,905.76	12	7/8 x 3-15/16
32	187	-	-	2,658.53	3,149.02	12	7/8 x 3-15/16
34	198	-	-	3,927.80	4,652.61	12	7/8 x 3-15/16
36	211	-	-	4,600.34	5,448.98	12	7/8 x 3-15/16
40	271	-	-	7,423.69	8,793.39	16	1 x 3-15/16
42	308	-	-	7,943.12	9,408.55	16	1 x 3-1/2

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

SHURJOINT #G-28 Hinged Lever Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket		Cplg. with GapSeal "E" or "T" Gasket	
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)		(CAN\$)	
				Painted	Galv.	Painted	Galv.
2	2.58	25	600	48.11	55.03	POA	POA
2 ½	3.1	20	560	52.27	59.87	POA	POA
3	4.01	16	384	63.12	72.03	POA	POA
4	6.06	8	250	81.52	93.11	POA	POA
5	11.1	5	160	161.67	184.55	POA	POA
6	13.63	4	120	175.48	200.53	POA	POA
8	22.12	-	80	269.71	308.13	POA	POA
10	27.36	-	-	401.94	627.74	POA	POA

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

1.0 Grooved Couplings & Flanges

SHURJOINT #7706 Reducing Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
(CAN\$)							
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	(pcs)	(in)
1 ½ x 1 ¼	2	30	720	23.95	34.97	2	3/8 x 2-1/8
2 x 1 ½	2	30	720	23.95	34.97	2	3/8 x 2-1/8
2 ½ x 2	2.6	25	600	31.19	45.66	2	3/8 x 2-1/8
3 x 2	3.3	20	480	35.78	52.17	2	1/2 x 3
3 x 2 ½	3.7	20	480	30.56	44.76	2	1/2 x 3
4 x 2	5.3	12	330	56.81	83.14	2	1/2 x 3
4 x 2 ½	5.7	12	330	50.81	74.32	2	1/2 x 3
4 x 3	5.3	10	330	47.68	69.69	2	1/2 x 3
5 x 4	8.4	8	220	90.71	132.60	2	5/8 x3-1/2
6 x 3	10.1	6	170	97.44	142.59	2	5/8 x3-1/2
6 x 4	9.9	6	170	97.44	142.59	2	5/8 x3-1/2
6 x 6	9.8	6	170	135.00	POA	2	5/8 x3-1/2
8 x 6	16.7	-	80	146.06	213.68	2	3/4 x 4-3/4

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

1.0 Grooved Couplings & Flanges

SHURJOINT #Z-07 Rigid Coupling

Nom. Size (in)	Approx. Weight (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cplg. with "E" or "T" Gasket (CAN\$)		Cplg. with GapSeal "E" or "T" Gasket (CAN\$)		Spare Parts (pcs)	Plated Bolt & Nut (in)
				Painted	Galv.	Painted	Galv.		
1 ¼	1.6	48	1152	15.79	23.41	19.30	POA	2	3/8 x 2-1/8
1 ½	2	40	960	15.79	23.41	20.00	POA	2	3/8 x 2-3/4
2	2.4	36	864	15.99	23.60	20.45	POA	2	3/8 x 2-3/4
2 ½	2.4	34	576	18.16	26.88	23.05	POA	2	3/8 x 2-3/4
3	3.1	20	550	21.15	31.31	26.30	POA	2	1/2 x 3
4	4.4	12	330	30.56	45.29	38.20	POA	2	1/2 x 3
5	6.6	7	230	39.27	58.00	49.05	POA	2	5/8 x 3-1/2
6	7.1	6	150	52.57	77.86	63.60	POA	2	5/8 x 3-1/2
8	15.7	-	80	83.14	123.09	101.75	POA	2	3/4 x 4-3/4
10	22.9	-	50	148.16	219.29	180.50	POA	2	7/8 x 6-1/2
12	26	-	40	177.71	219.29	215.55	POA	2	7/8 x 6-1/2
14	32.8	-	-	380.96	564.07	POA	POA	3	7/8 x 5-1/2
16	41.2	-	-	496.89	735.60	POA	POA	3	7/8 x 5-1/2
18	54.2	-	-	574.31	850.27	POA	POA	3	7/8 x 5-1/2
20	67.2	-	-	683.76	1,012.32	POA	POA	4	1 x 3-1/2
24	46.2	-	-	1,007.00	1,490.93	POA	POA	4	1 x 3-1/2

Nom. Size (in)	Approx. Weight (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cplg. With Grade "L" Silicone Gasket (CAN\$)		Cplg. With Grade "O" Viton Gasket (CAN\$)		Spare Parts (pcs)	Plated Bolt & Nut (in)
				Painted	Galv.	Painted	Galv.		
1 ¼	1.6	48	1152	POA	POA	POA	POA	2	3/8 x 2-1/8
1 ½	2	40	960	POA	POA	POA	POA	2	3/8 x 2-3/4
2	2.4	36	864	POA	POA	POA	POA	2	3/8 x 2-3/4
2 ½	2.4	34	576	POA	POA	POA	POA	2	3/8 x 2-3/4
3	3.1	20	550	POA	POA	POA	POA	2	1/2 x 3
4	4.4	12	330	POA	POA	POA	POA	2	1/2 x 3
5	6.6	7	230	POA	POA	POA	POA	2	5/8 x 3-1/2
6	7.1	6	150	POA	POA	POA	POA	2	5/8 x 3-1/2
8	15.7	-	80	POA	POA	POA	POA	2	3/4 x 4-3/4
10	22.9	-	50	POA	POA	POA	POA	2	7/8 x 6-1/2
12	26	-	40	POA	POA	POA	POA	2	7/8 x 6-1/2

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

1.0 Grooved Couplings & Flanges

SHURJOINT #Z-05 Angle Pad Rigid Coupling

Nom. Size (in)	Approx. Weight (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cplg.with "E" or "T" Gasket (CAN\$)		Cplg.with GapSeal "E" or "T" Gasket (CAN\$)		Spare Parts Plated Bolt & Nut (pcs)	(in)
				Painted	Galv.	Painted	Galv.		
1 ¼	1.4	50	1200	11.44	16.89	14.75	20.45	2	3/8 x 2-1/8
1 ½	1.5	40	960	11.83	16.89	14.75	21.20	2	3/8 x 2-1/8
2	1.7	30	720	12.85	18.91	17.15	23.50	2	3/8 x 2-3/4
2 ½	2.1	24	576	14.93	22.08	19.70	27.15	2	3/8 x 2-3/4
3	2.6	20	480	17.40	25.87	22.37	31.25	2	3/8 x 2-3/4
4	4.1	12	350	24.60	36.43	32.00	44.35	2	3/8 x 3
5	5.7	10	230	41.80	52.31	44.95	62.70	2	1/2 x 3
6	6.8	7	170	41.80	61.99	52.30	73.45	2	1/2 x 3
8	13.4	-	80	67.61	100.07	85.50	119.45	2	5/8 x 4-3/4

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

SHURJOINT #XH-70 Extra Heavy Rigid Coupling

Nom. Size (in)	Approx. Weight (lbs)	Inner carton (pcs)	Crate Qty. (pcs)	Cplg.with "E" or "T" Gasket (CAN\$)		Spare Parts Plated Bolt & Nut (pcs)	(in)
				Painted	Galv.		
2	3.3	25	600	48.19	POA	2	5/8 x 2-3/4
2 ½	34	20	480	54.79	POA	2	5/8 x 2-3/4
3	4.8	-	440	60.89	POA	2	5/8 x 2-3/4
4	8.8	-	230	89.98	POA	2	3/4 x 4-3/4
6	17.6	-	120	163.87	POA	2	7/8 x 5-1/2
8	24.2	-	-	263.41	POA	2	1 x 5-1/2
10	30.8	-	-	487.86	POA	2	1 x 5-1/2
12	36.7	-	-	712.42	POA	2	1 x 5-1/2

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

1.0 Grooved Couplings & Flanges

SHURJOINT #XH-70 Extra Heavy Rigid Coupling w/ EP Gasket

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "EP" Gasket		Spare Parts Plated Bolt & Nut	
(CAN\$)							
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	(pcs)	(in)
2	3.3	25	600	64.66	POA	2	5/8 x 2-3/4
2 1/2	4	20	480	75.90	POA	2	5/8 x 2-3/4
3	4.8	-	440	84.89	POA	2	5/8 x 2-3/4
4	8.8	-	230	120.39	POA	2	3/4 x 4-3/4
6	17.6	-	120	209.18	POA	2	7/8 x 5-1/2
8	26.2	-	-	323.60	POA	2	1 x 5-1/2
10	30.8	-	-	609.24	POA	2	1 x 5-1/2
12	46	-	-	768.84	POA	2	1 x 5-1/2

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

1.0 Grooved Couplings & Flanges

SHURJOINT #C-7 Outlet Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket	Spare Parts	Plated Bolt & Nut	
(in)	(Lbs)	(pcs)	(pcs)	Painted	Galv.	(pcs)	(in)
1 1/2 x 1/2 NPT-F	2.6	18	-	34.06	POA	2	3/8 x 2-1/8
1 1/2 x 3/4 NPT-F	2.6	18	-	34.06	POA	2	3/8 x 2-1/8
1 1/2 x 1 NPT-F	2.9	18	-	34.06	POA	2	3/8 x 2-1/8
2 x 1/2 NPT-F	3.1	15	-	34.92	POA	2	3/8 x 2-1/8
2 x 3/4 NPT-F	3.1	15	-	34.92	POA	2	3/8 x 2-1/8
2 x 1 NPT-F	3.3	15	-	34.92	POA	2	3/8 x 2-1/8
2 x 1 NPT-M	3.3	12	-	43.06	POA	2	3/8 x 2-1/8
2 x (1) GRV	3.3	12	-	43.06	POA	2	3/8 x 2-1/8
2 1/2 x 1/2 NPT-F	4.8	10	250	54.26	POA	2	1/2 x 2-3/8
2 1/2 x 3/4 NPT-F	4.6	10	250	54.26	POA	2	1/2 x 2-3/8
2 1/2 x 1 NPT-F	6.4	10	250	54.26	POA	2	1/2 x 2-3/8
2 1/2 x 1 1/4 NPT-M	5.1	8	225	61.33	POA	2	1/2 x 2-3/8
2 1/2 x (1 1/4) GRV	5.1	8	225	67.47	POA	2	1/2 x 2-3/8
2 1/2 x 1 1/2 NPT-M	5.9	8	225	67.47	POA	2	1/2 x 2-3/8
2 1/2 x (1 1/2) GRV	5.9	8	225	67.47	POA	2	1/2 x 2-3/8
3 x 3/4 NPT-F	5.9	8	200	52.22	POA	2	1/2 x 3
3 x 1 NPT-F	6.2	8	200	52.22	POA	2	1/2 x 3
3 x 1 NPT-M	6.2	6	180	83.21	POA	2	1/2 x 3
3 x (1) GRV	6.2	6	180	83.21	POA	2	1/2 x 3
3 x 1 1/2 NPT-M	6.4	6	180	83.21	POA	2	1/2 x 3
3 x (1 1/2) GRV	6.4	6	180	83.21	POA	2	1/2 x 3
4 x 3/4 NPT-F	9.2	4	110	77.06	POA	2	5/8 x 3-1/2
4 x 1 NPT-F	9.5	4	110	77.06	POA	2	5/8 x 3-1/2
4 x 1 1/2 NPT-M	9.5	4	100	113.18	POA	2	5/8 x 3-1/2
4 x (1 1/2) GRV	9.5	4	100	113.18	POA	2	5/8 x 3-1/2
4 x 2 NPT-M	9.9	4	100	113.18	POA	2	5/8 x 3-1/2
4 x (2) GRV	9.9	4	100	113.18	POA	2	5/8 x 3-1/2
6 x 1 NPT-F	13.2	2	72	161.27	POA	2	5/8 x 3-1/2
6 x 1 1/2 NPT-F	13.6	2	72	161.27	POA	2	5/8 x 3-1/2
6 x 1 1/2 NPT-M	13.6	2	65	161.27	POA	2	5/8 x 3-1/2
6 x (1 1/2) GRV	13.6	2	65	161.27	POA	2	5/8 x 3-1/2
6 x 2 NPT-M	14.3	2	65	161.27	POA	2	5/8 x 3-1/2
6 x (2) GRV	14.3	2	65	161.27	POA	2	5/8 x 3-1/2

*GRV: Grooved Outlet, NPT-F: NPT Female pipe threaded outlet, NPT-M: NPT Male pipe threaded outlet

1.0 Grooved Couplings & Flanges

SHURJOINT #7041 Flange, ANSI 125/150

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	#7041 Flange with "E" or "T" Gasket (CAN\$)	
(in)	(Lbs)	(pcs)	(pcs)	Painted	Galv.
2	4.4	-	300	45.89	57.45
2 ½	5.5	-	260	55.21	69.10
3	7.5	-	240	74.79	93.83
4	8.8	-	220	97.88	122.63
5	9.9	-	180	118.03	147.99
6	12.1	-	135	128.35	160.75
8	17.6	-	90	161.64	202.53
10	30.4	-	40	328.79	411.80
12	41.8	-	30	439.07	549.93
14	70	-	-	1,015.20	1,271.61
16	91	-	-	1,158.54	1,451.08
18	98	-	-	1,428.29	1,789.76
20	115	-	-	1,737.80	2,176.77
24	165	-	-	2,234.35	2,798.80

SHURJOINT #7043 Flange, ANSI 300

Nom. Size	Approx Weight	Inner Carton	Crate Qty.	#7041 Flange with "E" or "T" Gasket (CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2	4.8	-	-	63.51	80.68
2 ½	7.4	-	-	71.13	90.33
3	9.1	-	-	122.35	155.55
4	15.3	-	-	159.15	202.32
5	17.7	-	-	187.92	238.88
6	23.4	-	-	217.99	276.97
8	34.3	-	-	279.04	354.69
10	48.3	-	-	570.68	725.15
12	70.5	-	-	622.23	790.99

1.0 Grooved Couplings & Flanges

Shurjoint #49 Sandwich Plate for #7041 & #7043 Flanges

Nom. Size	Approx Weight	Inner Carton	Crate Qty.	Sandwich Plate Electro-Zinc Plated	Sandwich Plate Stainless Steel Type 304	Sandwich Plate Stainless Steel Type 316
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)	(CAN\$)
2	0.46	-	-	13.86	POA	POA
2 ½	0.46	-	-	16.58	POA	POA
3	0.57	-	-	19.82	POA	POA
4	0.66	-	-	22.10	POA	POA
5	0.82	-	-	27.55	POA	POA
6	1.25	-	-	59.59	POA	POA
8	1.39	-	-	83.78	POA	POA
10	4.56	-	-	110.20	POA	POA
12	5.7	-	-	154.16	POA	POA
14	6.38	-	-	POA	POA	POA
16	7.98	-	-	POA	POA	POA
18	8.44	-	-	POA	POA	POA
20	8.89	-	-	POA	POA	POA
24	11.63	-	-	POA	POA	POA

2.0 Grooved Fittings

SHURJOINT #7110 90 Degree Elbow

Nom. Size	C – E	Approx.Wt.	Inner Carton	Crate Qty.	90 Degree Elbow (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1	2.25	0.7	75	1800	10.17	17.02
1 ¼	2.75	1.1	48	1152	11.25	15.98
1 ½	2.75	1.5	48	1152	11.35	15.98
2	3.25	2	24	576	11.98	17.79
2 ½	3.75	2.6	12	288	17.05	23.69
3	4.25	4.6	9	270	26.50	34.78
3 ½	4.5	6	-	-	POA	POA
4	5	6.2	5	135	35.95	46.98
5	5.5	11	3	80	105.00	127.45
6	6.5	14.1	-	60	107.00	146.41
8	7.75	27.5	-	24	199.00	269.55
10	9	52.8	-	12	392.50	510.00
12	10	77	-	8	640.00	835.00
14	11	77	-	6	800.00	1,000.00
16	12	94.6	-	3	940.00	1,200.00
18	15.5	222.2	-	2	1,800.00	2,350.00
20	17.25	279.4	-	-	2,420.00	3,100.00
22	20	283.8	-	-	4,300.00	5,600.00
24	20	462	-	-	3,900.00	5,000.00

SHURJOINT #7110LR 1.5D Long Radius 90 Degree Elbow

Nom. Size	C – E	Approx.Wt.	Inner Carton	Crate Qty.	1.5D Long Radius 90 Degree Elbow (CAN\$)	
(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	4.38	2.5	-	-	59.17	POA
2 ½	5	4.3	-	-	59.17	POA
3	5.88	6.1	-	-	59.17	POA
4	7.5	10	-	80	88.52	POA
5	9.5	15	-	-	188.61	POA
6	10.75	22.3	-	30	258.87	POA
8	14.25	36	-	12	620.99	POA
10	17.25	70	-	-	1,287.56	POA
12	20.5	80	-	4	2,098.85	POA
14	-	-	-	-	3,834.00	POA
16	-	-	-	-	5,112.00	POA
18	-	-	-	-	6,390.00	POA
20	-	-	-	-	7,881.00	POA
24	-	-	-	-	10,756.50	POA
30	-	-	-	-	18,105.00	POA

2.0 Grooved Fittings

SHURJOINT #7111 45 Degree Elbow

Nom. Size	C - E	Approx.Wt.	Inner Carton	Crate Qty.	45 Degree Elbow (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1	1.75	0.4	96	2304	10.60	17.02
1 ¼	1.75	0.7	96	2304	11.10	15.98
1 ½	1.75	0.9	80	1920	11.10	15.98
2	2	1.5	32	768	10.50	17.79
2 ½	2.25	2	18	432	14.50	20.14
3	2.5	2.9	14	390	19.25	26.82
4	3	4.4	6	230	29.50	97.50
5	3.25	7.7	4	100	70.00	38.08
6	3.5	9.7	-	72	78.95	107.82
8	4.25	19.8	-	45	155.00	204.84
10	4.75	37.4	-	20	400.00	525.00
12	5.25	49.5	-	12	650.00	820.00
14	6	48.4	-	10	700.00	900.00
16	7.25	96.8	-	5	900.00	1,200.00
18	8	102.7	-	-	1,600.00	2,100.00
20	9	104.7	-	-	2,000.00	2,500.00
22	11	176	-	-	2,200.00	2,700.00
24	11	176	-	-	2,400.00	3,000.00

SHURJOINT #7111LR 1.5D Long Radius 45 Degree Elbow

Nom. Size	C - E	Approx Wt.	Inner Carton	Crate Qty.	1.5D Long Radius 90 Degree Elbow (CAN\$)	
(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	2.75	1.8	-	5	50.21	63.90
2 ½	3	2.9	-	-	50.21	63.90
3	3.38	4.9	-	-	50.21	63.90
4	4	7.7	-	160	61.17	78.81
5	5	14.7	-	-	412.27	532.50
6	5.5	18	-	48	185.17	230.00
8	7.25	36	-	-	316.31	404.70
10	8.5	57	-	-	943.88	1,224.75
12	10	90	-	-	1,093.21	1,384.50
14	-	-	-	-	1,544.25	POA
16	-	-	-	-	2,556.00	3,301.50
18	-	-	-	-	3,141.75	4,047.00
20	-	-	-	-	3,940.50	5,112.00
24	-	-	-	-	5,538.00	7,135.50

2.0 Grooved Fittings

SHURJOINT #7112 22-1/2 Degree Elbow

Nom. Size (in)	C – E (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	22-1/2 Degree Elbow (CAN\$)	
					Painted	Galv.
1 ¼	1.75	0.7	-	-	20.31	33.22
1 ½g	1.75	1.3	60	-	20.31	33.22
2g	3.75	1.8	36	-	20.31	33.53
2 ½g	4	2.2	24	576	20.31	26.00
3g	4.5	3.1	15	360	29.57	38.00
4g	5	4.4	6	240	39.68	52.00
5g	2.88	7.3	4	140	122.94	150.00
6g	6.25	11	3	96	112.31	150.00
8g	7.75	22	-	45	234.98	270.00
10	4.38	29.9	-	24	340.00	380.00
12	4.88	40.3	-	-	436.00	600.00
14sw	5	46.2	-	-	800.00	POA
16sw	5	52.8	-	-	1,025.00	POA
18sw	5.5	66	-	-	1,300.00	POA
20sw	6	79.9	-	-	1,600.00	POA
22sw	7	112.2	-	-	POA	POA
24sw	7	112.2	-	-	2,100.00	POA

sw = Segment Welded Steel. g = Gooseneck design.
 * 2", 2-1/2", 3", 4", 6" & 8" #7112 are also available in standard pattern

SHURJOINT #7113 11-1/4 Degree Elbow

Nom. Size (in)	C – E (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty (pcs)	11-1/4 Degree Elbow (CAN\$)	
					Painted	Galv.
1 ¼	1.38	0.4	-	-	20.31	30.00
1 ½	1.38	0.7	-	-	20.31	30.00
2	1.38	1.8	72	1728	20.31	30.00
2 ½	1.5	2.2	28	672	20.31	30.00
3	1.5	2.4	24	576	29.57	40.00
4	1.75	3.3	15	380	36.56	50.00
5	2	5.9	6	220	122.94	160.00
6	2	7.5	-	120	112.31	160.00
8	2	12.1	-	75	200.70	260.00
10	2.13	14.5	-	50	300.94	388.00
12	2.25	18.7	-	-	436.00	560.00
14sw	3.5	32.1	-	-	795.00	POA
16sw	4	41.8	-	-	900.00	POA
18sw	4.5	52.8	-	-	1,200.00	POA
20sw	5	66	-	-	1,450.00	POA
22sw	6	101.2	-	-	POA	POA
24sw	6	101.2	-	-	1,980.00	POA

sw = Segment Welded Steel.

2.0 Grooved Fittings

SHURJOINT #7118 Groove x Thread 90 Degree Elbow

Nom. Size	C – Gr E	C – Th E	Approx .Wt.	Inner Carton	Crate Qty.	#7118 Gr x Thr 90 Degree Elbow (CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	3.25	4.25	2.4	-	-	40.27	51.84
2 ½	3.75	4.75	3.3	-	-	68.11	87.62
3	4.25	6	5.7	-	-	97.87	126.10
4	5	7.25	11.9	-	-	203.60	262.12

SHURJOINT #7120 Tee

Nom. Size	C-E	Approx Wt.	Inner Carton	Crate Qty.	Tee (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1	2.25	0.9	36	864	14.08	19.91
1 ¼	2.75	1.5	36	864	17.11	22.21
1 ½	2.75	2	24	576	18.26	23.71
2	3.25	2.9	14	336	23.28	29.95
2 ½	3.75	4.89	8	192	32.32	40.70
3	4.25	6.8	6	160	49.11	62.45
3 ½	4.5	9.5	-	-	-	-
4	5	10.1	3	90	75.44	96.15
5	5.5	14.3	-	52	178.25	230.16
6	6.5	22	-	28	201.54	263.55
8	7.75	44	-	12	394.45	512.90
10	9	68.2	-	8	933.80	1,207.50
12	10	99	-	5	1,227.05	1,541.00
14	11	118.8	-	4	1,335.45	1,858.76
16	12	145.2	-	2	1,565.25	2,216.80
18sw	15.5	273.5	-	-	2,817.40	3,990.09
20sw	17.25	338.6	-	-	3,588.68	5,082.31
22sw	19	330	-	-	POA	POA
24sw	20	473.2	-	-	4,928.98	6,346.08

2.0 Grooved Fittings

SHURJOINT #7121 Grooved-End Reducing Tees

Nom. Size (in)	C-E (Standard) (in)	Approx. Wt. (lb)	Inner Carton (pcs)	Crate Qty. (pcs)	Red. Tee (CAN\$)	
					Painted	Galv.
2 x 3/4sw	3.25	2.5	16	384	45.00	56.64
2 x 1sw	3.25	2.7	16	384	45.00	56.64
2 x 1 1/4sw	3.25	2.6	16	384	45.00	56.64
2 x 1 1/2	3.25	2.6	16	384	45.00	56.64
2 1/2 x 3/4sw	3.75	4.1	-	260	45.00	56.64
2 1/2 x 1	3.75	3.8	-	260	45.00	56.64
2 1/2 x 1 1/4sw	3.75	4.35	-	260	45.00	56.64
2 1/2 x 1 1/2	3.75	3.9	-	260	45.00	56.64
2 1/2 x 2	3.75	4.4	-	260	45.00	56.64
3 x 3/4sw	4.25	6	-	160	50.00	66.38
3 x 1	4.25	6.1	-	160	50.00	66.38
3 x 1 1/4sw	4.25	6.2	-	160	50.00	66.38
3 x 1 1/2	4.25	6.5	-	160	50.00	66.38
3 x 2	4.25	6.2	-	160	50.00	66.38
3 x 2 1/2	4.25	6.2	-	160	50.00	66.38
4 x 1sw	5	7.8	-	98	75.00	104.60
4 x 1 1/4sw	5	8.2	-	98	75.00	104.60
4 x 1 1/2sw	5	8.5	-	98	75.00	104.60
4 x 2	5	9.2	-	98	75.00	104.60
4 x 2 1/2	5	9.5	-	98	75.00	104.60
4 x 3	5	9.9	-	98	75.00	104.60
6 x 2	6.5	17.6	-	38	170.00	253.93
6 x 2 1/2	6.5	18.7	-	38	175.00	230.00
6 x 3	6.5	20.2	-	38	175.00	230.00
6 x 4	6.5	19.4	-	38	175.00	230.00
8 x 2	7.75	37	-	15	375.00	497.30
8 x 2 1/2	7.75	37	-	15	375.00	497.30
8 x 3	7.75	37	-	15	375.00	497.30
8 x 4	7.75	44	-	15	375.00	497.30
8 x 6	7.75	46.2	-	15	375.00	497.30
10 x 6	9	66	-	15	750.00	1010.73
10 x 8	9	69.3	-	8	750.00	1010.73
12 x 4sw	10	79.2	-	8	1050.00	1390.42
12 x 6sw	10	83.6	-	-	1050.00	1390.42
12 x 8	10	83.6	-	-	1050.00	1390.42
12 x 10	10	88	-	-	1050.00	1390.42
14 x 8sw	11	126.5	-	-	1200.00	1888.56
14 x 10sw	11	137.3	-	-	1200.00	1998.11
14 x 12sw	11	145.6	-	-	1300.00	2138.51
16 x 8sw	12	153.8	-	-	1400.00	2260.28
16 x 10sw	12	165.7	-	-	1600.00	2442.80
16 x 12sw	12	174.7	-	-	2000.00	2647.75
16 x 14sw	12	179.74	-	-	2100.00	2917.73
18 x 10sw	15.5	234.5	-	-	2200.00	3551.30
18 x 12sw	15.5	246.4	-	-	2300.00	3551.30
18 x 14sw	15.5	252.8	-	-	2500.00	3892.69
18 x 16sw	15.5	263.1	-	-	2900.00	4012.23
20 x 14sw	17.25	304	-	-	3400.00	4894.41
20 x 16sw	17.25	315.7	-	-	3600.00	4632.59
20 x 18sw	17.25	327.1	-	-	3700.00	4754.93
24 x 8sw	20	363.4	-	-	4000.00	5367.04
24 x 10sw	20	382.8	-	-	4200.00	5631.61
24 x 12sw	20	398	-	-	4400.00	5944.89
24 x 14sw	20	406.3	-	-	4700.00	6102.59
24 x 16sw	20	419.8	-	-	4900.00	6163.93
24 x 18sw	20	433	-	-	5100.00	6726.18
24 x 20sw	20	446.4	-	-	5400.00	6815.36

* SW=segmentally welded

2.0 Grooved Fittings

SHURJOINT #7121M Male End Reducing Tees

Nom. Size (in)	C-E (Standard) (in)	Approx. Wt. (bs)	Inner Carton (pcs)	Crate Qty. (pcs)	Red. Tee (CAN\$)	
					Painted	Galv.
2 x ¾sw	3.25	2.5	16	384	49.38	85.25
2 x 1sw	3.25	2.7	16	384	49.38	85.25
2 x 1 ¼sw	3.25	2.6	16	384	49.38	85.25
2 x 1 ½	3.25	2.6	16	384	49.38	85.25
2 ½ x ¾sw	3.75	4.1		260	49.38	85.25
2 ½ x 1	3.75	3.8		260	49.38	85.25
2 ½ x 1 1/4sw	3.75	4.35		260	49.38	85.25
2 ½ x 1 ½	3.75	3.9		260	49.38	85.25
2 ½ x 2	3.75	4.4		260	49.38	85.25
3 x ¾sw	4.25	6		160	57.27	99.03
3 x 1	4.25	6.1		160	57.27	99.03
3 x 1 ¼sw	4.25	6.2		160	57.27	99.03
3 x 1 ½	4.25	6.5		160	57.27	99.03
3 x 2	4.25	6.2		160	57.27	99.03
3 x 2 ½	4.25	6.2		160	57.27	99.03
4 x 1	5	7.8		98	84.18	145.61
4 x 1 ¼	5	8.2		98	84.18	145.61
4 x 1 ½	5	8.5		98	84.18	145.61
4 x 2	5	9.2		98	84.18	145.61
4 x 2 ½	5	9.5		98	84.18	145.61
4 x 3	5	9.9		98	84.18	145.61
6 x 2	6.5	17.6		38	199.23	344.46
6 x 2 ½	6.5	18.7		38	199.23	344.46
6 x 3	6.5	20.2		38	199.23	344.46
6 x 4	6.5	19.4		38	199.23	344.46
8 x 2 ½	7.75	37		15	415.78	718.88
8 x 3	7.75	37		15	415.78	718.88
8 x 4	7.75	44		15	415.78	718.88

* SW=segmently welded

2.0 Grooved Fittings

SHURJOINT #7130 45 Degree Lateral

Nom. Size (in)	C-LE (in)	C-SE (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	45 Degree Lateral (CAN\$)	
						Painted	Galv.
1 ¼ sw	5.75	2.5	2.4	-	-	161.18	207.48
1 ½ sw	6.25	2.75	3.5	-	-	163.81	210.94
2	7	2.75	5.1	7	-	116.34	149.87
2 ½	7.75	3	6.2	4	-	168.78	217.36
3	8.5	3.25	9.2	-	85	186.23	239.77
4	10.5	3.75	17.6	-	50	244.88	315.26
5sw	12.5	4	27.5	-	24	421.93	543.24
6	14	4.5	40.7	-	20	511.98	659.16
8	18	6	70.4	-	9	833.52	1,073.16
10	20.5	6.5	104.7	-	-	1,390.08	1,789.73
12	23	7	165	-	-	1,675.52	2,157.29
14sw	26.5	7.5	275	-	-	POA	POA
16sw	29	8	343.2	-	-	POA	POA
18sw	32	8.5	429	-	-	POA	POA
20sw	35	9	499.4	-	-	POA	POA
22sw	38	9.5	616	-	-	POA	POA
24sw	40	10	712.8	-	-	POA	POA

* SW=segmently welded

Shurjoint #7135 Cross

Nom. Size (in)	C-E (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cross (CAN\$)	
					Painted	Galv.
1	2.25	1.3	-	-	58.58	90.63
1 ¼ sw	2.75	2.2	-	-	58.58	90.63
1 ½ sw	2.75	2.5	-	-	58.58	90.63
2	3.25	3.8	6	200	58.58	90.63
2 ½	3.75	6.2	6	200	58.58	90.63
3	4.25	10.6	-	-	105.44	163.92
4	5	15.9	-	55	181.05	265.64
5sw	5.5	20	-	-	372.75	542.19
6	6.5	27.9	-	25	468.60	680.90
8	7.75	48.4	-	-	607.05	893.02
10sw	9	70.4	-	-	1,597.50	2,776.62
12sw	10	110	-	-	2,236.50	3,088.50
14sw	11	200.2	-	-	2,556.00	3,301.50
16sw	12	250.4	-	-	3,408.00	4,260.00
18sw	15.5	364.5	-	-	4,047.00	5,218.50
20sw	17.25	451.4	-	-	5,751.00	7,242.00
22sw	19	534.2	-	-	7,455.00	9,585.00
24sw	20	631	-	-	8,892.75	11,289.00

*SW = segmently welded

2.0 Grooved Fittings

SHURJOINT #7137 True-Y

Nom. Size	C-LE	C-SE	Approx. .Wt.	Inner Carton	Crate Q'ty	True-Y (CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	3.25	2.75	2.5	-	-	152.55	POA
2 ½	3.75	3	4.3	-	-	152.55	POA
3	4.25	3.25	6.1	-	-	182.40	POA
4	5	3.75	10	-	-	238.92	308.85
5	5.5	4	15	-	-	342.13	POA
6	6.5	4.5	22.3	-	-	494.84	POA
8	7.75	6	36	-	-	609.86	POA
10	9	6.5	70	-	-	1,052.36	POA
12	10	7	80	-	-	1,162.54	POA

2.0 Grooved Fittings

SHURJOINT #7150 Concentric Reducer

Nom. Size	E-E	Approx. Wt.	Inner Carton	Crate Qty.	#7150 Conc. Reducer (CAN\$)	
					Painted	Galv.
1 ¼ x 1	2.5	0.75	75	1800	20.98	31.95
1 ½ x 1	2.5	0.8	75	1800	20.98	31.95
1 ½ x 1 ¼	2.5	0.8	75	1800	20.98	31.95
2 x 1	2.5	0.84	75	1800	20.98	34.95
2 x 1 ¼	2.5	0.8	75	1800	20.98	34.95
2 x 1 ½	2.5	0.77	75	1800	20.98	34.95
2 ½ x 1 ¼	2.5	1.1	60	1440	20.98	34.95
2 ½ x 1 ½	2.5	1.1	60	1440	20.98	34.95
2 ½ x 2	2.5	1.1	45	1080	20.98	34.95
3 x 1	2.5	1.32	48	1152	26.04	42.94
3 x 1 ¼	2.5	1.32	48	1152	26.04	42.94
3 x 1 ½	2.5	1.32	48	1152	26.04	42.94
3 x 2	2.5	1.32	48	1152	26.04	42.94
3 x 2 ½	2.5	1.32	36	864	26.04	42.94
4 x 2	3	2.2	24	800	31.91	51.33
4 x 2 ½	3	2.2	24	800	31.91	51.33
4 x 3	3	2.2	24	800	31.91	51.33
5 x 4	3.5	4.4	12	300	43.93	56.45
6 x 2	4	4.18	6	280	56.62	93.55
6 x 2 ½	4	4.4	6	280	64.60	104.71
6 x 3	4	4.4	6	280	56.62	94.61
6 x 4	4	4.62	6	280	52.13	85.17
6 x 5	4	5.5	6	280	76.68	122.27
8 x 3	-	9.46	-	135	102.19	168.93
8 x 4	5	11.22	-	135	102.19	168.93
8 x 6	5	11.44	-	135	127.43	212.78
10 x 4	6	19.8	-	75	239.27	389.90
10 x 6	6	19.8	-	75	259.62	415.23
10 x 8	6	20.9	-	75	259.62	425.35
12 x 6	7	31	-	75	469.61	753.65
12 x 8	7	30.8	-	32	469.61	753.65
12 x 10	7	33	-	30	469.61	753.65
14 x 6sw	8	42.9	-	-	1,746.12	2,720.76
14 x 8	8	41.8	-	-	1,040.52	1,640.21
14 x 10	8	71.5	-	-	825.52	1,288.92
14 x 12	8	50.6	-	-	893.91	1,412.41
16 x 6sw	9	64.9	-	-	1,285.77	2,296.37
16 x 8	9	64.9	-	-	1,285.77	2,296.37
16 x 10sw	9	64.9	-	-	1,239.34	2,104.20
16 x 12	9	66	-	-	1,254.67	2,104.20
16 x 14	9	63.8	-	-	1,254.67	2,104.20
18 x 10sw	9.5	79.2	-	-	1,785.59	2,916.01
18 x 12	9.5	78.1	-	-	1,827.64	2,916.01
18 x 14sw	9.5	79.2	-	-	1,665.69	2,634.02
18 x 16sw	9.5	79.2	-	-	1,919.55	3,075.67
20 x 12	10	94.6	-	-	2,503.85	4,092.26
20 x 14sw	10	98.45	-	-	2,695.55	4,092.26
20 x 16	10	101.2	-	-	2,695.55	4,092.26
20 x 18sw	10	127.6	-	-	3,034.60	4,830.49
24 x 12	12	154	-	-	4,325.85	6,928.60
24 x 14sw	12	154	-	-	4,325.85	6,928.60
24 x 16	12	154	-	-	4,325.85	6,928.60
24 x 18sw	12	154	-	-	4,325.85	6,928.60
24 x 20	12	156.2	-	-	4,325.85	6,928.60

*SW = segmently welded

2.0 Grooved Fittings

SHURJOINT #7151 Eccentric Reducer

Nom. Size (in)	E-E (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Ecc. Reducer (CAN\$)	
					Painted	Galv.
2 ½ x 2	3.5	1.5	36	864	48.18	77.64
3 x 2	3.5	2.2	36	864	55.48	89.30
3 x 2 ½	3.5	2.2	24	576	55.48	89.30
4 x 2	4	3.1	12	560	67.87	109.26
4 x 2 ½	4	3.3	12	480	67.87	109.26
4 x 3	4	3.5	12	480	67.87	109.26
6 x 3	4	7.7	7	250	122.96	198.00
6 x 4	4	8.4	7	250	107.71	173.46
8 x 4sw	5	17.6	-	95	196.81	351.30
8 x 6	5	17.6	-	95	218.17	351.30
10 x 4	6	26.4	-	75	996.75	1,604.02
10 x 6	6	25.3	-	75	996.75	1,604.02
10 x 8sw	6	26.4	-	75	1,495.17	2,406.14
12 x 6	7	39.6	-	32	945.93	1,522.86
12 x 8	7	53.5	-	32	945.93	1,522.86
12 x 10	11	44	-	30	825.56	1,328.79
14 x 6sw	8	62	-	-	2,386.52	3,840.95
14 x 8sw	8	62	-	-	1,807.00	2,908.18
14 x 10sw	8	62	-	-	1,704.00	2,449.50
14 x 12sw	8	62	-	-	1,597.50	2,556.00
16 x 8sw	10	77	-	-	2,223.36	2,862.58
16 x 10sw	10	77	-	-	2,054.60	2,645.27
16 x 12	10	68.2	-	-	2,020.65	2,601.56
16 x 14	10	77	-	-	1,976.77	2,545.12
18 x 10sw	11	99	-	-	2,794.27	3,597.70
18 x 12sw	11	99	-	-	2,623.87	3,378.26
18 x 14sw	11	99	-	-	2,383.94	3,069.41
18 x 16sw	11	99	-	-	2,383.94	3,069.41
20 x 12sw	12	149.6	-	-	2,723.77	3,506.77
20 x 14sw	12	149.6	-	-	2,702.91	3,480.04
20 x 16sw	12	149.6	-	-	2,512.27	3,234.42
20 x 18sw	12	149.6	-	-	2,415.95	3,110.57
24 x 12	14	173.8	-	-	4,850.87	6,245.39
24 x 14	14	173.8	-	-	4,543.17	5,849.31
24 x 16sw	14	173.8	-	-	4,543.17	5,849.31
24 x 18sw	14	173.8	-	-	4,285.30	5,517.24
24 x 20sw	14	173.8	-	-	3,910.61	5,034.84

*SW = segmently welded

2.0 Grooved Fittings

SHURJOINT #7150F Reducing Socket (Gr. x Ft.)

Nom. Size Gr. x Th. (in)	L (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Red. Socket (CAN\$)	
					Painted	Zinc Plated
1 ½ x 1	2.5	0.7	120	2880	24.22	POA
2 x 1	2.5	0.92	75	1800	26.05	POA
2 x 1 ¼	2.5	1.1	75	1800	26.05	POA
2 x 1 ½	2.5	1.1	75	1800	26.05	POA
2 ½ x 1 ¼	2.5	1.1	75	1800	36.28	POA
2 ½ x 1 ½	2.5	1.1	60	1440	36.28	POA
2 ½ x 2	2.5	1.5	45	1080	36.28	POA
3 x 1	2.5	1.6	48	1152	38.14	POA
3 x 1 ¼	2.5	1.8	48	1152	38.14	POA
3 x 1 ½	2.5	1.5	48	1152	38.14	POA
3 x 2	2	1.5	36	864	38.14	POA
3 x 2 ½	3	1.8	16	384	38.14	POA
4 x 1 ½	3	2	24	576	54.01	POA
4 x 2	3	2.4	20	480	54.01	POA
4 x 2 ½	3	2.4	16	384	54.01	POA
5 x 1 ½	3.5	6	-	-	54.01	POA
6 x 1 ½	4	4.8	8	192	84.65	POA
6 x 2	4	5.3	8	192	84.65	POA
6 x 2 ½	4	5.9	-	-	84.65	POA
6 x 4	4	5.9	-	-	84.65	POA

SHURJOINT #7150M Reducing Socket (Gr. x Mt.)

Nom. Size Gr. x Th. (in)	L (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Red. Socket (CAN\$)	
					Painted	Zinc Plated
1 ½ x 1	2.5	0.9	120	2880	24.22	POA
2 x 1	2.5	0.92	75	1800	26.05	POA
2 x 1 ¼	2.5	1.3	75	1800	26.05	POA
2 x 1 ½	2.5	1.3	75	1800	26.05	POA
2 ½ x 1	2.5	1.5	75	1800	36.28	POA
2 ½ x 1 ¼	2.5	1.5	75	1800	36.28	POA
2 ½ x 1 ½	2.5	1.5	60	1440	36.28	POA
2 ½ x 2	2.5	1.5	45	1080	36.28	POA
3 x 1	2.5	1.6	48	1152	38.14	POA
3 x 1 ¼	2.5	1.6	48	1152	38.14	POA
3 x 1 ½	2.5	1.6	48	1152	38.14	POA
3 x 2	2	1.6	36	864	38.14	POA
3 x 2 ½	2.5	1.8	24	576	38.14	POA
4 x 1 ½	3	2.5	24	576	54.01	POA
4 x 2	3	2.5	20	480	54.01	POA
4 x 2 ½	3	2.5	16	384	54.01	POA
5 x 1 ½	3.5	6	-	-	54.01	POA
6 x 1 ½	4	6	8	192	84.65	POA
6 x 2	4	6	8	192	84.65	POA
6 x 2 ½	4	6	-	-	84.65	POA
6 x 4	4	6	-	-	84.65	POA

2.0 Grooved Fittings

SHURJOINT #7170 Flange Adapters

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Universal Flange (CAN\$)	
				Painted	Galv.
10	57.2	-	-	910.58	POA
12	83.6	-	-	1,437.75	POA
14	112.9	-	-	1,597.50	POA

SHURJOINT #7180 Universal Flange Adapter ANSI 125/150, PN 10/16, JIS-10K

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Universal Flange (CAN\$)	
				Painted	Galv.
2	5.1	-	250	52.71	81.22
2 ½	6.4	-	180	53.25	88.99
3	7.4	-	150	64.03	136.29
4	8.5	-	120	88.24	145.15
5	13.20	-	100	121.15	200.31
6	13.9	-	85	121.15	200.31
8	30	-	35	237.45	392.90

SHURJOINT #7181 Reducing Flange Adapter ANSI 150 *Groove

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Universal Flange (CAN\$)	
				Painted	Galv.
3 X 2	7.4	-	250	121.33	POA
4 X 3	8.5	-	180	167.24	POA
6 X 4	13.9	-	150	229.76	POA

2.0 Grooved Fittings

SHURJOINT #7160 Cap

Nom. Size	E-E	Approx.Wt.	Inner Carton	Crate Qty.	Cap (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1 ¼	1	0.4	150	7200	6.07	8.59
1 ½	1	0.4	110	5280	6.18	8.97
2	1	0.7	75	3600	7.18	10.19
2 ½	1	0.9	50	2400	8.33	12.02
3	1	1.5	40	1920	10.18	14.72
4	1	2.2	20	960	15.51	22.01
5	1	3.7	15	720	32.32	45.67
6	1	6.6	10	480	36.91	51.06
8	1.18	12.1	10	280	72.46	97.32
10	1.25	15.4	-	160	131.46	202.08
12	1.25	22	-	-	219.04	338.64

SHURJOINT #7160H Domed End Cap

Nom. Size	E-E	Approx.Wt.	Inner Carton	Crate Qty.	Cap (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
10	3	12.1	150	7200	219.12	298.20
12	3	16.3	110	5280	358.53	426.00
14	4	25.5	75	3600	655.20	798.75
16	4	32.1	50	2400	741.57	852.00
18	5	45.1	40	1920	858.89	1,054.35
20	6	53.9	20	1440	975.06	1,192.80
22	6	97.00	32	900	1,171.50	1,491.00
24	6	75.9	18	530	1,328.12	1,704.00

SHURJOINT #7160P Cap with Plug

Nom. Size	E-E	Plug Size	Approx. Wt.	Inner Carton	Crate Qty.	Cap (CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Zinc Plated
2	1	1/2	0.7	75	3600	17.79	POA
2	1	1	0.7	75	3600	17.79	POA
2 ½	1	1/2	0.9	50	2400	18.79	POA
2 ½	1	1	0.9	50	2400	18.79	POA
3	1	1/2	1.5	40	1920	20.69	POA
3	1	1	1.5	40	1920	20.69	POA
4	1	1	2.2	20	960	31.13	POA
5	1	1	3.7	32	900	49.38	POA
6	1	1	6.6	18	530	63.13	POA
8	1.18	1	12.1	10	280	92.77	POA
8	1.18	1 1/2	12.1	10	280	92.77	POA

2.0 Grooved Fittings

SHURJOINT #56 Hose Nipple

Nom. Size	E-E	Approx. Wt.	Inner Carton	Crate Qty.	Nipple, Gr. X TH (CAN\$)	Nipple, Gr.X TH (CAN\$)
(in)	(in)	(Lbs)	(pcs)	(pcs)	Black	Zinc Plated
1	3.25	0.4	-	-	63.36	POA
1 ¼	3.625	0.7	-	-	63.36	POA
1 ½	4	0.9	-	-	63.36	POA
2	4.625	1.3	-	-	63.36	POA
2 ½	5.5	2.2	-	-	63.36	POA
3	6	3.3	-	-	91.45	POA
4	7.25	5.5	-	-	160.45	POA
5	9.75	8.1	-	-	243.11	POA
6	11	13.2	-	-	288.93	POA
8	12.5	24	-	-	601.20	POA
10	14	29	-	-	612.92	POA
12	16	46	-	-	670.97	POA

SHURJOINT #57 Nipple, Grooved x Grooved

Nom. Size	L	E-E	Approx. Wt.	Inner Carton	Crate Qty.	Nipple, Gr. X Gr. (CAN\$)	Nipple, Gr.XGr. (CAN\$)
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Black	Zinc Plated
1 ¼	4	4	0.68	-	-	19.80	39.60
1 ½	4	4	0.82	-	-	19.80	39.60
2	4	4	1.32	50	1200	19.80	39.60
2 ½	4	4	1.98	32	768	26.07	52.14
3	4	4	2.64	18	432	33.10	66.20
1 ¼	6	4	0.99	-	-	31.63	63.26
1 ½	6	4	1.32	-	-	31.63	63.26
2	6	4	1.98	-	-	31.63	63.26
2 ½	6	4	2.97	-	-	42.47	84.94
3	6	4	3.96	-	-	54.36	108.72
4	6	6	5.5	6	210	67.79	135.55
5	6	6	7.26	-	-	140.58	358.24
6	6	6	9.46	2	84	179.12	358.24
8	6	6	14.3	-	-	203.84	407.68
10	8	8	27.06	-	-	287.02	574.04
12	8	8	35.64	-	-	386.60	773.19

2.0 Grooved Fittings

SHURJOINT #58 Nipple, Grooved x Beveled

Nom. Size	L	E-E	Approx. Wt.	Inner Carton	Crate Qty.	Nipple, Gr. X Bev. (CAN\$)	Nipple Gr.XBev. (CAN\$)
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Black	Zinc Plated
1 ¼	4	4	0.7	-	-	19.80	39.60
1 ½	4	4	0.84	-	-	19.80	39.60
2	4	4	1.32	50	1200	19.80	39.60
2 ½	4	4	1.98	32	768	27.24	54.49
3	4	4	2.64	18	432	33.97	67.95
1 ¼	6	4	0.99	-	-	32.68	65.37
1 ½	6	4	1.32	-	-	32.68	65.37
2	6	4	1.98	-	-	32.68	65.37
2 ½	6	4	2.97	-	-	43.35	86.69
3	6	4	3.96	-	-	55.06	110.12
4	6	6	5.5	6	210	66.78	133.55
5	6	6	7.26	-	-	139.41	278.82
6	6	6	9.46	2	84	181.58	363.17
8	6	6	14.3	-	-	205.01	410.03
10	8	8	27.06	-	-	275.30	550.61
12	8	8	35.64	-	-	374.88	749.76

SHURJOINT #59 Nipple, Grooved x Threaded

Nom. Size	L	E-E	Approx. Wt.	Inner Carton	Crate Qty.	Nipple, Gr. x Th. (CAN\$)	Nipple, Gr. x Th. (CAN\$)
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Black	Zinc Plated
1	4	4	0.42	-	-	21.67	43.35
1 ¼	4	4	0.66	-	-	21.67	43.35
1 ½	4	4	0.79	-	-	21.67	43.35
2	3	3	0.82	50	1200	22.26	44.52
2	4	4	1.1	50	1200	22.26	44.52
2 ½	4	4	1.54	32	768	28.12	56.23
3	4	4	1.98	18	432	35.15	70.29
1 ¼	6	4	0.99	-	-	33.97	67.95
1 ½	6	4	1.32	-	-	33.97	67.95
2	6	4	1.98	-	-	34.56	69.12
2 ½	6	4	2.97	-	-	45.69	91.38
3	6	4	3.96	-	-	57.40	114.81
4	6	6	5.17	6	210	70.06	140.11
5	6	6	7.26	-	-	145.38	290.77
6	6	6	9.9	2	84	188.61	377.22

2.0 Grooved Fittings

SHURJOINT #55 GRV-M Nipple Adapter

Nom. Size Gr. X Th.	L (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Nipple Adapter (CAN\$)	
					Painted	Zinc Plated
1 1/2 x 1 1/2 M	2.5	0.9	-	-	28.25	POA
2 x 2M	2.5	1.3	-	-	31.28	POA

3.0 Hole Cut

SHURJOINT #M21/7721 Mechanical Tee, Threaded Outlet, NPT

Nom. Size	Model M21 7721	Approx. Wt.	Inner Carton	Crate Qty.	Mech. Tee with "E" Gasket (CAN\$)		Spare Parts Plated Bolt/Nut	
(in)	Model	(lbs)	(pcs.)	(pcs)	Painted	Zinc Plated	(pcs)	(in)
2 x 1/2	M21	2.4	20	480	25.96	31.55	2	3/8 x 2-1/8
2 x 3/4	M21	2.4	20	480	25.96	31.55	2	3/8 x 2-1/8
2 x 1	M21	2.6	22	528	25.96	31.55	2	3/8 x 2-1/8
2 x 1 1/4	M21	2.9	20	480	31.34	36.20	2	3/8 x 2-1/8
2 x 1 1/2	M21	2.9	20	480	31.34	36.20	2	3/8 x 2-1/8
2 1/2 x 1/2	M21	3.1	20	480	29.09	36.56	2	1/2 x 2-3/8
2 1/2 x 3/4	M21	3.1	20	480	29.09	36.56	2	1/2 x 2-3/8
2 1/2 x 1	M21	3.3	20	480	29.09	36.56	2	1/2 x 2-3/8
2 1/2 x 1 1/4	M21	3.5	20	480	31.65	42.01	2	1/2 x 3
2 1/2 x 1 1/2	M21	3.5	20	480	31.65	42.01	2	1/2 x 3
3 x 1/2	M21	3.5	20	480	31.24	37.09	2	1/2 x 3
3 x 3/4	M21	3.5	20	480	31.24	37.09	2	1/2 x 3
3 x 1	M21	3.7	20	480	31.24	37.09	2	1/2 x 3
3 x 1 1/4	M21	4.2	16	420	36.32	46.54	2	1/2 x 3
3 x 1 1/2	M21	4.4	16	420	36.32	46.54	2	1/2 x 3
3 x 2	M21	5.1	10	336	42.71	52.17	2	1/2 x 3
4 x 1/2	M21	4.2	16	468	44.57	53.45	2	1/2 x 3
4 x 3/4	M21	4.2	16	468	44.57	53.45	2	1/2 x 3
4 x 1	M21	4.4	16	468	44.57	53.45	2	1/2 x 3
4 x 1 1/4	M21	4.8	12	396	43.70	53.55	2	1/2 x 3
4 x 1 1/2	M21	5.1	12	396	43.70	53.55	2	1/2 x 3
4 x 2	7721	5.9	6	260	46.67	57.86	2	1/2 x 3
4 x 2 1/2	M21	7.3	10	320	46.67	57.86	2	1/2 x 3
4 x 3	7721	12.3	3	150	59.37	73.59	2	5/8 x 3-1/2
5 x 2	M21	9.2	4	160	76.80	86.86	2	5/8 x 3-1/2
5 x 2 1/2	M21	9.9	4	160	76.80	86.86	2	5/8 x 3-1/2
6 x 1 1/4	M21	9.7	6	210	65.81	85.03	2	5/8 x 5-5/16
6 x 1 1/2	M21	9.7	6	210	65.81	85.03	2	5/8 x 5-5/16
6 x 2	M21	10.6	6	210	65.81	85.03	2	5/8 x 5-5/16
6 x 2 1/2	M21	11.9	6	210	73.97	88.81	2	5/8 x 5-5/16
6 x 3	7721	13.2	6	210	86.56	104.00	2	5/8 x 5-5/16
6 x 4	7721	14.5	6	210	95.47	114.75	2	5/8 x 5-5/16
8 x 2	7721	13.6	2	90	111.93	138.55	2	3/4 x 4-3/4
8 x 2 1/2	7721	13.9	2	80	111.93	138.55	2	3/4 x 4-3/4
8 x 3	7721	15.6	2	80	116.92	138.61	2	3/4 x 4-3/4
8 x 4	7721	17.6	2	72	120.90	149.60	2	3/4 x 4-3/4

3.0 Hole Cut

SHURJOINT #M21/7722 Mechanical Tee, Grooved Outlet

Nom. Size	Model	Approx. Wt.	Inner Carton	Crate Qty.	Mech. Tee with "E" Gasket (CAN\$)		Spare Parts Plated Bolt/Nut	
(in)	Model	(lbs)	(pcs)	(pcs)	Painted	Galv.	(pcs)	(in)
2 x 1 1/4	M22	2.2	20	480	36.04	42.86	2	3/8x2-1/8
2 x 1 1/2	M22	2.6	20	480	36.04	42.86	2	3/8x2-1/8
2 1/2 x 1 1/4	M22	3.7	20	480	43.30	53.91	2	1/2x2-3/8
2 1/2 x 1 1/2	M22	4.2	20	480	43.30	53.91	2	1/2x2-3/8
3 x 1 1/4	M22	4	16	420	36.32	46.54	2	1/2 x 3
3 x 1 1/2	M22	4.2	16	420	36.32	46.54	2	1/2 x 3
3 x 2	M22	4.8	10	336	41.48	52.17	2	1/2 x 3
4 x 1 1/4	M22	4.6	12	396	43.70	53.55	2	1/2 x 3
4 x 1 1/2	M22	4.8	12	396	43.70	53.55	2	1/2 x 3
4 x 2	7722	5.9	6	260	47.89	59.12	2	1/2 x 3
4 x 2 1/2	M22	6.6	12	320	47.89	59.12	2	1/2 x 3
4 x 3	7722	11.4	3	150	60.92	75.18	2	5/8 x 3-1/2
5 x 2	M22	9.2	6	210	70.79	86.86	2	5/8 x 3-1/2
5 x 2 1/2	M22	9.5	6	210	76.19	89.31	2	5/8 x 3-1/2
6 x 1 1/4	M22	9.2	6	210	71.93	97.28	2	5/8 x 5-5/16
6 x 1 1/2	M22	9.5	6	210	71.93	97.28	2	5/8 x 5-5/16
6 x 2	M22	10.6	6	210	71.93	97.28	2	5/8 x 5-5/16
6 x 2 1/2	M22	12.1	6	210	73.97	92.48	2	5/8 x 5-5/16
6 x 3	7722	12.3	2	110	78.68	98.37	2	5/8 x 5-5/16
6 x 4	7722	15.4	2	80	86.99	108.76	2	5/8 x 5-5/16
8 x 2	7722	12.8	2	90	111.93	138.55	2	3/4 x 4-3/4
8 x 2 1/2	7722	13.2	2	80	111.93	138.55	2	3/4 x 4-3/4
8 x 3	7722	15.8	2	80	115.77	138.61	2	3/4 x 4-3/4
8 x 4	7722	16.5	2	72	119.75	149.60	2	3/4 x 4-3/4

SHURJOINT #723 Saddle-Let (Small Mechanical Tee), NPT

Nom. Size	Approx. Wt.	Inner Carton		Crate Qty.	Saddle-Let With "E" Gasket (CAN\$)	
(in)	(lbs)	(pcs)	(pcs)		Black	Zinc Plated
1 1/4 x 1/2	0.9	65	1560		12.01	15.98
1 1/4 x 3/4	0.9	65	1560		12.01	15.98
1 1/4 x 1	0.9	65	1560		12.01	15.98
1 1/2 x 1/2	0.9	65	1560		12.29	15.98
1 1/2 x 3/4	0.9	65	1560		12.29	16.51
1 1/2 x 1	0.9	65	1560		12.29	16.51
2 x 1/2	0.9	65	1560		12.83	16.83
2 x 3/4	0.9	65	1560		12.83	16.83
2 x 1	0.9	65	1560		12.83	16.83
2 1/2 x 1/2	0.9	55	1320		14.22	18.11
2 1/2 x 3/4	0.9	55	1320		14.22	18.11
2 1/2 x 1	1.1	55	1320		14.22	18.11

4.0 Flow Control

SHURJOINT #726 Y-Strainer

Nom. Size	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Y-Strainer Painted (CAN\$)	Y-Strainer Galvanized (CAN\$)	Spare Basket SS (CAN \$)
2	9.3	-	-	483.16	POA	POA
2 ½	13.2	-	-	507.48	POA	POA
3	18	-	-	570.03	POA	POA
4	26.4	-	-	645.27	POA	POA
6	70.4	-	-	1,014.58	POA	POA
8	121	-	-	2,050.51	POA	POA
10	182.6	-	-	2,500.32	POA	POA
12	277.2	-	-	6,058.87	POA	POA
14	418	-	-	9,479.25	POA	POA
16	495	-	-	11,341.26	POA	POA

SHURJOINT #725-G/#725F Suction Diffuser

Nom. Size (in)	Approx. Weig ht (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Suction Diffuser (CAN\$)
2 ½ x 2 ½	22	-	-	456.45
3 x 3	33	-	-	673.28
4 x 4	48	-	-	1,072.68
5 x 5	53	-	-	POA
5 #725F	58	-	-	POA
6 x 6	59	-	-	1,192.80
6 #725F	67	-	-	1,842.45
8 x 8	102	-	-	2,087.53
10 x 10	190	-	-	3,408.16
12 x 12	290	-	-	4,649.70

SHURJOINT #650N Expansion Joint

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Expansion Joint (CAN\$)
2	15.8	-	-	477.29
2 ½	21.1	-	-	560.45
3	25.5	-	-	704.52
4	39.6	-	-	1,198.67
6	74.8	-	-	1,167.20

4.0 Flow Control

SHURJOINT #SJ-900 Check Valve

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Check Valve Painted	Check Valve Galv.
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)
2 ½	10.8	-	-	360.00	POA
3	10.3	-	-	430.00	POA
4	17.4	-	-	459.00	POA
5	48	-	-	750.00	POA
6	49.5	-	-	899.00	POA
8	63.8	-	-	1,470.00	POA
10	95	-	-	3,500.00	POA
12	140	-	-	4,200.00	POA

SHURJOINT #453UG Dual Plate Check Valve

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Dual Plate Check Valve
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
3	8.8	-	-	526.11
4	12.32	-	-	600.66
6	27.72	-	-	977.67
8	48.4	-	-	1,666.73

Shurjoint BH-22C Brass Swing Check Valve

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	BH-22C Valve
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
2	3.5	-	-	246.89
2 ½	6.5	-	-	395.35
3	10.2	-	-	491.12
4	11.7	-	-	566.02

Shurjoint SJ-930 Horizontal Swing Check Valve

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	SJ-930 Valve
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
2	12.3	-	-	370.00
2 ½	18.7	-	-	470.00
3	24.2	-	-	610.00
4	39.6	-	-	1,000.00

4.0 Flow Control

SHURJOINT #SJ-500 Ball Valve with Lever Handle

Carbon Steel or Stainless Steel Trim

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Ball Valve C.S. Trim (CAN\$)	Ball Valve SS Trim (CAN\$)
1 ½	4.8	-	-	200.00	220.00
2	6.4	-	-	225.00	248.00
2 ½	10.6	-	-	415.00	455.00
3	13.4	-	-	470.00	520.00
4	55	-	-	1,400.00	1,550.00
6	95	-	-	2,600.00	2,950.00

SHURJOINT #SJ-300N-L Butterfly Valve, w/10 Position Lever Handle

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Butterfly Valve E or T Ptd. (CAN\$)	Zinc Plated E or T (CAN\$)	Butterfly Valve "O" Viton Ptd. (CAN\$)
2	6.8	-	-	260.00	POA	POA
2 ½	7.9	-	-	295.00	POA	POA
3	9.2	-	-	305.00	POA	POA
4	12.5	-	-	380.00	POA	POA
5	20.2	-	-	760.00	POA	POA
6	25	-	-	770.00	POA	POA
8	37	-	-	1,100.00	POA	POA
10	62.2	-	-	1,900.00	POA	POA
12	80.1	-	-	2,300.00	POA	POA

SHURJOINT #SJ-300N-W Butterfly Valve with Gear Operator

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Butterfly Valve E or T Ptd. (CAN\$)	Zinc Plated E or T (CAN\$)	Butterfly Valve "O" Viton Ptd. (CAN\$)
2	17.9	-	-	558.14	POA	POA
2 ½	17.9	-	-	619.49	POA	POA
3	20.25	-	-	631.00	POA	POA
4	23.35	-	-	674.31	POA	POA
5	31.55	-	-	970.98	POA	POA
6	35.5	-	-	959.65	POA	POA
8	48.5	-	-	1,268.56	POA	POA
10	73.5	-	-	2,386.82	POA	POA
12	91.35	-	-	2,821.11	POA	POA

5.0 Fire Protection Products

SHURJOINT #Z-05 Angle Pad Rigid Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg.with "E" or "T" Gasket (CAN\$)		Cplg.with GapSeal "E" or "T" Gasket (CAN\$)		Spare Parts Plated Bolt/Nut	
				Painted	Galv.	Painted	Galv.	(pcs)	(in)
1 ¼	1.4	50	1200	11.44	16.89	14.75	20.45	2	3/8 x 2-1/8
1 ½	1.5	40	960	11.83	16.89	14.75	21.20	2	3/8 x 2-1/8
2	1.7	30	720	12.85	18.91	17.15	23.50	2	3/8 x 2-3/4
2 ½	2.1	24	576	14.93	22.08	19.70	27.15	2	3/8 x 2-3/4
3	2.6	20	480	17.40	25.87	22.37	31.25	2	3/8 x 2-3/4
4	4.1	12	350	24.60	36.43	32.00	44.35	2	3/8 x 3
5	5.7	10	230	41.80	52.31	44.95	62.70	2	1/2 x 3
6	6.8	7	170	41.80	61.99	52.30	73.45	2	1/2 x 3
8	13.4	-	80	67.61	100.07	85.50	119.45	2	5/8 x 4-3/4

SHURJOINT #901 Short Radius 90 Degree Elbow

Nom. Size	C – E	Approx.Wt.	Inner Carton	Crate Qty.	90 deg. Elbow (CAN\$)	
					Painted	Galv.
2	2.75	1.5	30	720	12.02	18.02
2 ½	3	2	15	360	16.26	22.01
3	3.38	3.1	12	300	21.44	28.44
4	4	3.7	6	175	31.56	42.57
6	5.5	12.1	-	60	88.87	119.99
8	6.94	24.2	-	28	175.26	205.26

SHURJOINT #903 Short Radius Straight Tee

Nom. Size	C – E	Approx.Wt.	Inner Carton	Crate Qty.	Tee (CAN\$)	
					Painted	Galv.
2	2.75	2.2	20	480	18.60	28.54
2 ½	3	2.9	10	240	24.98	38.31
3	3.38	4.4	8	215	35.05	53.76
4	4	7.9	5	105	53.45	82.09
6	5.5	18.9	-	38	144.78	222.10
8	6.94	36.3	-	16	308.59	473.44

5.0 Fire Protection Products

SHURJOINT #7110DR Drain Elbow with 1" NPT Drain

Nom. Size (in)	C – E (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Drain Elbow (CAN\$)	
					Painted	Galv.
2 ½	3.75	2.8	-	-	56.92	-
3	4.25	4.4	-	-	72.89	-
4	5	6.6	-	-	74.37	-
6	6.5	15.4	-	-	131.15	-

SHURJOINT #899 End-All Fitting, NPT

Nom. Size Gr. X Th. (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	End-All Fitting (CAN\$)	
				Black	Zinc Plated
1 ¼ x ½	0.7	65	2340	12.89	POA
1 ¼ x ¾	0.7	65	2340	12.89	POA
1 ¼ x 1	0.7	65	2340	13.47	POA
1 ½ x ½	0.9	60	2160	13.47	POA
1 ½ x ¾	0.9	60	2160	13.47	POA
1 ½ x 1	0.9	60	2160	14.00	POA
2 x ½	1.1	36	1296	15.23	POA
2 x ¾	1.1	36	1296	15.23	POA
2 x 1	1.1	36	1296	16.17	POA
2 ½ x ½	1.3	18	648	18.74	POA
2 ½ x ¾	1.3	18	648	18.74	POA
2 ½ x 1	1.3	18	648	19.33	POA

SHURJOINT #SJ-700W Butterfly Valve with Gear Operator & Switch

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Butterfly Valve (CAN\$)
2	17.9	-	-	650.00
2 ½	17.9	-	-	700.00
3	20.3	-	-	705.00
4	23.4	-	-	755.00
5	31.6	-	-	1,100.00
6	35.5	-	-	1,130.00
8	48.5	-	-	1,500.00
10	73.5	-	-	2,800.00
12	91.4	-	-	3,350.00

5.0 Fire Protection Products

SHURJOINT #RCV Riser Check Valve

Nom. Size	Approx.Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Riser Check Valve	
				Painted (CAN\$)	Galv. (CAN\$)
2 ½	10.8	1	80	326.00	POA
3	15.4	1	80	386.00	POA
4	24.2	1	45	406.00	POA
5	48	1	-	POA	POA
6	46.2	1	18	820.00	POA
8	63.8	1	-	1,400.00	POA
10	212.04	1	-	3,300.00	POA
12	353.4	1	-	4,000.00	POA

6.0 Stainless Steel Products

SHURJOINT #SS-7 Stainless Steel Rigid Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E" or "T" Gasket (CAN\$)		Spare Parts ss304 Bolt/Nut	
(in)	(lbs)	(pcs)	(pcs)	SS304 body	SS316 body	(pcs)	(in)
1 ¼	1.5	-	-	52.93	71.49	2	3/8 x 2
1 ½	1.8	-	-	56.52	76.33	2	3/8 x 2
2	2	-	-	64.55	87.14	2	3/8 x 2
2 ½	2.2	-	-	65.46	88.39	2	3/8 x 2
3	3	-	-	94.66	127.78	2	3/8 x 3
4	4.6	-	-	146.28	197.51	2	3/8 x 3
5	5.5	-	-	191.25	258.18	2	1/2 x 3
6	6.2	-	-	225.85	304.91	2	1/2 x 3
8	12.1	-	-	458.94	619.56	2	5/8 x 3-1/2

SHURJOINT #SS-7X Stainless Steel Heavy Duty Rigid Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E" or "T" Gasket (CAN\$)		Spare Parts ss304 Bolt/Nut	
(in)	(lbs)	(pcs)	(pcs)	SS304 body	SS316 body	(pcs)	(in)
10	23.1	-	-	874.10	1,180.04	2	7/8 x 5-1/2
12	23.3	-	-	928.69	1,253.75	2	7/8 x 6-1/2
14	33	-	-	1,274.86	1,721.05	2	7/8 x 5-1/2
16	43.1	-	-	1,711.77	2,310.90	4	5/8 x 3-1/2
18	55	-	-	2,063.76	2,786.06	4	5/8 x 3-1/2
20	68.2	-	-	2,749.91	3,712.41	4	3/4 x 4-3/4
22	72.6	-	-	3,045.04	4,110.78	4	3/4 x 4-3/4
24	76.3	-	-	3,325.93	4,490.03	4	3/4 x 4-3/4

6.0 Stainless Steel Products

SHURJOINT #SS-8 Stainless Steel Flexible Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E" or "T" Gasket (CAN\$)		Spare Parts ss304 Bolt/Nut	
				(in)	(lbs)	(pcs)	(pcs)
1	1.1	65	1560	45.59	61.53	2	5/16 x 1-1/2
1 ¼	1.1	50	1200	52.93	71.49	2	5/16 x 1-1/2
1 ½	1.1	45	1080	56.52	76.33	2	5/16 x 1-1/2
2	1.5	36	864	64.55	87.14	2	3/8 x 2
2 ½	1.8	25	600	65.46	88.39	2	3/8 x 2
3	2.2	20	480	94.66	127.78	2	3/8 x 2
4	3.7	12	380	146.28	197.51	2	1/2 x 3
5	4.8	10	250	191.25	258.18	2	1/2 x 3
6	6.4	6	180	225.85	304.91	2	1/2 x 3
8	14.1	-	90	458.94	619.56	2	5/8 x 3-1/2

SHURJOINT #SS-8X Stainless Steel Heavy Duty Flexible Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E" or "T" Gasket (CAN\$)		Spare Parts ss304 Bolt/Nut	
				(in)	(lbs)	(pcs)	(pcs)
¾	1.5	65	-	55.72	75.25	2	3/8 x 2
1	1.8	50	1200	57.32	77.35	2	3/8 x 2
1 ¼	2	40	960	63.86	86.23	2	3/8 x 2
1 ½	2.2	40	960	80.29	108.37	2	3/8 x 2
2	2.6	32	768	95.11	128.41	2	3/8 x 2
2 ½	2.9	24	576	108.32	146.22	2	3/8 x 2
3	4	16	384	124.54	168.14	2	1/2 x 3
4	5.3	-	-	196.77	265.64	2	1/2 x 3
5	7.2	-	-	303.32	409.47	2	5/8 x 3-1/2
6	7.9	-	-	393.31	530.99	2	5/8 x 3-1/2
8	15	-	-	606.53	818.83	2	3/4 x 4-3/4

6.0 Stainless Steel Products

SHURJOINT #SS-10 Stainless Steel 90 Degree Elbow

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	90 Deg Elbow (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	SS304	SS316
1	2.25	0.7	-	-	31.93	43.09
1 ¼	2.75	0.9	-	-	34.49	46.56
1 ½	2.75	0.9	-	-	39.50	53.33
2	3.25	1.3	-	-	54.59	73.71
2 ½	3.75	3.1	-	-	113.95	153.85
3	4.25	2.9	-	-	118.05	159.37
4	5	4.8	-	-	181.63	245.21
5	-	8.8	-	-	360.64	486.88
6	6.5	14.3	-	-	546.31	737.50
8	7.75	23.5	-	-	1,161.26	1,567.71
10	15	41.8	-	-	1,991.19	2,688.10
12	18	68.2	-	-	2,885.38	3,895.29
14	-	77	-	-	POA	POA
16	-	94.6	-	-	POA	POA
18	-	165	-	-	POA	POA
20	-	202.4	-	-	POA	POA
24	-	283.8	-	-	POA	POA

SHURJOINT #SS-11 Stainless Steel 45 Degree Elbow

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	45 Deg Elbow (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	SS304	SS316
1	1.75	0.4	-	-	31.93	43.09
1 ¼	1.75	0.7	-	-	34.49	46.56
1 ½	1.75	0.9	-	-	39.50	53.33
2	2	1.1	-	-	54.59	73.71
2 ½	2.25	2.2	-	-	113.95	153.85
3	2.5	2.2	-	-	118.05	159.37
4	3	3.5	-	-	181.63	245.21
5	-	6.4	-	-	360.64	486.88
6	3.5	9.2	-	-	409.87	553.31
8	4.25	16.3	-	-	691.96	934.15
10	6.25	23.4	-	-	1,395.08	1,883.38
12	7.5	27.3	-	-	1,756.62	2,371.46
14	-	38.06	-	-	POA	POA
16	-	49.72	-	-	POA	POA
18	-	63.14	-	-	POA	POA
20	-	90.2	-	-	POA	POA
24	-	109.34	-	-	POA	POA

6.0 Stainless Steel Products

SHURJOINT #SS-20 Stainless Steel Tee

Nom. Size (in)	C - E (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Tee (CAN\$)	
					SS304	SS316
1	2.25	0.9	-	-	44.62	60.22
1 ¼	2.25	1.5	-	-	51.06	68.93
1 ½	2.75	1.8	-	-	57.37	77.47
2	3.25	2.4	-	-	83.78	113.10
2 ½	3.75	5.5	-	-	192.95	260.52
3	1.25	4.6	-	-	215.61	291.08
4	5	7.5	-	-	333.60	450.34
5	-	11.4	-	-	512.21	691.51
6	6.5	21.3	-	-	1,016.57	1,372.37
8	7.75	33	-	-	2,058.29	2,778.71
10	8.88	67.1	-	-	2,504.88	3,381.60
12	10.38	94.6	-	-	3,544.90	4,785.61
14	-	118.8	-	-	POA	POA
16	-	1445.2	-	-	POA	POA
18	-	217.8	-	-	POA	POA
20	-	275	-	-	POA	POA
24	-	378.4	-	-	POA	POA

SHURJOINT #SS-60 Stainless Steel Cap

Nom. Size (in)	E - E (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Tee (CAN\$)	
					SS304	SS316
1	0.94	0.2	-	-	12.86	17.36
1 ¼	0.94	0.2	-	-	14.69	19.81
1 ½	0.94	0.4	-	-	16.39	22.14
2	0.94	0.4	-	-	20.04	27.04
2 ½	1.75	0.9	-	-	40.07	54.07
3	2	1.5	-	-	75.59	102.06
4	2	2	-	-	98.41	132.85
5	-	3.5	-	-	182.08	245.83
6	3	5.7	-	-	207.58	280.21
8	3.5	11.4	-	-	409.87	553.31
10	5	44	-	-	982.02	1,325.75
12	6	29.7	-	-	1,364.34	1,841.89
14	7	34.7	-	-	1,636.07	2,208.67
16	8	42.6	-	-	1,832.72	2,474.20

6.0 Stainless Steel Products

SHURJOINT #SS-21 Stainless Steel Reducing Tee

Nom. Size	C-E	C-E Branch	Approx. Wt.	Inner Carton	Crate Qty.	Red. Tee (CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	SS304 Body	SS316 Body
1 ¼ x 1			1.5	-	-	67.90	91.70
1 ½ x 1	2.75	2.75	1.5	-	-	67.90	91.70
1 ½ x 1 ¼	2.75	3.25	1.5	-	-	67.90	91.70
2 x 1	2.75	2.75	1.8	-	-	88.62	119.64
2 x 1 ¼	2.75	2.75	1.8	-	-	88.62	119.64
2 x 1 ½	2.75	2.75	2.6	-	-	88.62	119.64
2 ½ x 1	2.75	2.75	3.8	-	-	177.36	239.46
2 ½ x 1 ¼	2.75	2.75	3.9	-	-	177.36	239.46
2 ½ x 1 ½	2.75	2.75	4	-	-	177.36	239.46
2 ½ x 2	3	3	4.1	-	-	177.36	239.46
3 x 1 ¼	3.75	3.25	4.3	-	-	266.04	359.16
3 x 1 ½	3.75	3.25	5.6	-	-	266.04	359.16
3 x 2	3.75	3.25	5.8	-	-	266.04	359.16
3 x 2 ½	3.75	3.25	6	-	-	266.04	359.16
4 x 2	5	5	8.8	-	-	354.55	478.63
4 x 2 ½	4.5	3.88	9	-	-	354.55	478.63
4 x 3	4.5	3.88	9.9	-	-	354.55	478.63
5 x 2 ½	5.5	5.5	9.46	-	-	553.99	747.91
5 x 3	5.25	4.38	7.5	-	-	553.99	747.91
5 x 4	5.25	4.63	13.6	-	-	708.81	956.92
6 x 3	5.88	4.88	20.2	-	-	807.45	1,090.05
6 x 4	5.88	5.13	20.2	-	-	807.45	1,090.05
6 x 5	5.88	5.38	20.2	-	-	807.45	1,090.05
8 x 3	7.75	6.5	19.6	-	-	1,942.01	2,621.73
8 x 4	7.75	6.5	19.6	-	-	1,942.01	2,621.73
8 x 5	7.75	6.5	34.5	-	-	2,330.42	3,146.07
8 x 6	7.75	6.63	35.9	-	-	2,330.42	3,146.07
10 x 6	8.88	7.75	59.5	-	-	3,346.31	4,517.52
10 x 8	8.88	8.5	61	-	-	3,346.31	4,517.52
12 x 8	10.37	9.5	85.2	-	-	4,616.45	6,232.20
12 x 10	10.37	9.88	87.2	-	-	4,616.45	6,232.20
14 x 10	-	-	137.3	-	-	POA	POA
16 x 14	-	-	77	-	-	POA	POA
18 x 14	-	-	252.8	-	-	POA	POA
20 x 16	-	-	315.7	-	-	POA	POA
24 x 20	-	-	446.4	-	-	POA	POA

6.0 Stainless Steel Products

SHURJOINT #SS-50 Stainless Steel Concentric Reducer

Nom. Size (in)	E-E (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Conc. Reducer (CAN\$)	
					SS304 Body	SS316 Body
1 ¼ x 1	-	0.6	-	-	44.34	59.88
1 ½ x 1	2.5	0.7	-	-	44.34	59.88
1 ½ x 1 ¼	2.5	0.7	-	-	44.34	59.88
2 x 1	3	0.8	-	-	67.33	90.90
2 x 1 ¼	3	0.8	-	-	67.33	90.90
2 x 1 1/2	3	0.8	-	-	67.33	90.90
2 ½ x 1	3.5	1.1	-	-	99.27	133.99
2 ½ x 1 ¼	3.5	1.1	-	-	99.27	133.99
2 ½ x 1 ½	3.5	1.2	-	-	99.27	133.99
2 ½ x 2	3.5	1.2	-	-	99.27	133.99
3 x 1 ¼	3.5	1.3	-	-	109.91	148.39
3 x 1 ½	3.5	1.4	-	-	109.91	148.39
3 x 2	5	1.4	-	-	109.91	148.39
3 x 2 ½	5	1.8	-	-	109.91	148.39
4 x 2	5	2.5	-	-	147.25	198.76
4 x 2 ½	5	2.7	-	-	147.25	198.76
4 x 3	5	3.3	-	-	147.25	198.76
5 x 2 ½	5	2.71	-	-	212.76	287.21
5 x 3	5	2.71	-	-	212.76	287.21
5 x 4	5	4.4	-	-	212.76	287.21
6 x 3	5.5	6	-	-	226.99	306.45
6 x 4	5.5	6.2	-	-	226.99	306.45
6 x 5	5.5	6.2	-	-	226.99	306.45
8 x 4	6	10.8	-	-	418.18	564.52
8 x 5	6	11.7	-	-	418.18	564.52
8 x 6	6	11	-	-	418.18	564.52
10 x 6	7	19.8	-	-	1,123.52	1,516.77
10 x 8	7	22	-	-	1,123.52	1,516.77
12 x 8	8	33	-	-	1,329.73	1,795.16
12 x 10	8	37.4	-	-	1,329.73	1,795.16
14 x 10	-	59.4	-	-	POA	POA
16 x 14	-	38.06	-	-	POA	POA
18 x 14	-	85.8	-	-	POA	POA
20 x 16	-	125.4	-	-	POA	POA
24 x 20	-	149.6	-	-	POA	POA

6.0 Stainless Steel Products

SHURJOINT #SS-41 Stainless Steel Flange

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Stainless Split Flange (CAN\$)		Spare Parts SS304 Bolt/Nut	
				(in)	(lbs)	(pcs)	(pcs)
2	4.6	-	-	168.88	227.96	4	5/8 x 3
2 ½	6	-	-	206.61	278.96	4	5/8 x 3
3	6.8	-	-	230.63	311.35	4	5/8 x 3
4	9.9	-	-	332.01	448.23	8	5/8 x 3
6	12.9	-	-	410.21	553.76	8	3/4 x 3-1/2
8	18	-	-	648.82	875.92	8	3/4 x 3-1/2

SHURJOINT #SS-80 Stainless Steel Flange Adapter

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Universal Flange (CAN\$)		Spare Parts SS304 Bolt/Nut	
				(in)	(lbs)	(pcs)	(pcs)
2	4.4	-	250	245.83	331.89	4	5/8
2 ½	6.4	-	180	276.45	373.22	4	5/8
3	7.5	-	150	337.93	456.20	4	5/8
4	8.6	-	120	368.72	497.75	8	5/8
5	12	-	85	568.50	767.49	8	3/4
6	15	-	85	660.66	891.86	8	3/4
8	31.9	-	35	998.70	1,348.23	8	3/4

SHURJOINT #SJ-600SS Stainless Steel Ball Valve with Lever Handle

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Ball Valve (CAN\$)	
				(in)	(lbs)
1 ½	6.6	-	-	-	385.85
2	8.8	-	-	-	460.95
2 ½	15.4	-	-	-	1,339.91
3	33	-	-	-	1,532.90
4	55	-	-	-	2,519.55

6.0 Stainless Steel Products

SHURJOINT #SJ-400L Stainless Steel Butterfly Valve c/w lever handle

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Gr 304 Stainless Valve	Gr 316 Stainless Valve
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)
2	16.3	-	-	-	762.33
2 ½	20.9	-	-	-	891.84
3	26	-	-	-	991.15
4	31.9	-	-	-	1,222.65
5	52	-	-	-	1,668.04
6	55.2	-	-	-	1,886.51
8	110	-	-	-	2,395.39
10	186.6	-	-	-	6,525.75
12	225.7	-	-	-	8,533.11

SHURJOINT #SJ-400W Stainless Steel Butterfly Valve c/w Gear Operator

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Gr 304 Stainless Valve	Gr 316 Stainless Valve
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)
2	23.8	-	-	-	1,070.05
2 ½	28.4	-	-	-	1,199.63
3	33.7	-	-	-	1,298.87
4	39.4	-	-	-	1,530.23
5	60.5	-	-	-	1,975.90
6	62.7	-	-	-	2,194.44
8	121.2	-	-	-	2,762.44
10	175.5	-	-	-	6,669.62
12	212.3	-	-	-	8,676.98

7.0 Copper System

SHURJOINT #C305 Rigid Coupling for Copper Tubing

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with "E-pw" Gasket, DI Body	Spare Parts plated Bolt/Nut
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs) (in)
2	0.9	30	720	17.25	2 3/8 x 2
2 1/2	1	25	600	19.00	2 3/8 x 2
3	1.3	20	550	21.25	2 1/2 x 3
4	1.5	-	350	32.50	2 1/2 x 3
5	2.4	-	-	POA	2 5/8 x 3 1/2
6	2.5	-	170	76.50	2 5/8 x 3 1/2
8	5.5	-	-	-	2 5/8 x 3 1/2

SHURJOINT #C306 Reducing Coupling for Copper Tubing

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with "E-pw" Gasket, DI Body	Spare Parts plated Bolt/Nut
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs) (in)
2 1/2 x 2	1.1	-	-	25.88	2 1/2 x 3
3 x 2	1.5	-	-	28.03	2 1/2 x 3
3 x 2 1/2	1.5	-	-	28.03	2 1/2 x 3
4 x 2 1/2	1.7	-	-	45.28	2 1/2 x 3
4 x 3	1.7	-	-	45.00	2 1/2 x 3
5 x 4	2.4	-	-	POA	2 5/8 x 3 1/2
6 x 4	2.8	-	-	112.00	2 5/8 x 3 1/2

SHURJOINT #C307 Transition Coupling for Copper Tubing

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with "E-pw" Gasket, DI Body	Spare Parts plated Bolt/Nut
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs) (in)
2 x 2	0.9	-	-	29.98	2 3/8 x 2-1/8
2 1/2 x 2 1/2	1.2	-	-	34.08	2 3/8 x 2-1/8
3 x 3	1.6	-	-	37.95	2 1/2 x 3
4 x 4	2.4	-	-	58.23	2 1/2 x 3

7.0 Copper System

SHURJOINT #C341 Flange for Copper Tubing

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Flange with "E-pw" Gasket, DI Body	Spare Parts -Plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs)	(in)
2	2.2	-	-	135.85	4	5/8 x 3
2 ½	3	-	-	140.15	4	5/8 x 3
3	3.6	7	230	150.95	4	5/8 x 3
4	4.5	7	230	161.73	8	5/8 x 3
6	6	6	170	213.48	8	3/4 x 3 1/2
8	6.6	6	170	POA	8	3/4 x 3 1/2

SHURJOINT #C10 90 Degree Elbow, Bronze Grooved Fitting

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	90 Degree Elbow Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	2.91 c	0.9	30	-	45.75
2 ½	3.31 c	1.2	18	-	52.50
3	3.81 c	1.7	12	-	70.00
4	4.75 c	2.7	5	150	150.00
5	5.94 c	5.2	3	80	POA
6	6.94 c	8.3	-	40	500.00
8	7.75 c	11.8	-	-	POA

SHURJOINT #C11 45 Degree Elbow, Bronze Grooved Fitting

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	45 Degree Elbow Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	2.19 c	0.8	48	-	53.75
2 ½	2.31 c	1	25	-	62.50
3	2.59 c	1.4	16	530	83.75
4	3.19 c	2.5	6	240	160.00
5	3.25 c	3.6	-	125	POA
6	3.63 c	4.6	-	70	525.00
8	4.25 c	8	-	-	POA

7.0 Copper System

SHURJOINT #C20 Tee, Bronze Grooved Fitting

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	Tee Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	2.69 c	0.9	24	-	81.50
2 ½	3.20 c	1.8	12	-	82.50
3	3.50 c	2.4	8	260	105.00
4	4.25 c	3.8	3	120	247.50
5	5.94 c	7.8	-	52	POA
6	6.94 c	12.2	-	24	825.00
8	7.75 c	17	-	-	POA

SHURJOINT #C60 Cap, Bronze Grooved Fitting

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	Cap Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	0.96 c	0.3	100	-	27.00
2 ½	0.96 c	0.4	70	-	40.50
3	0.96 c	0.6	45	-	51.00
4	0.96 c	1	60	-	77.25
5	0.96 c	1.6	35	-	POA
6	0.96 c	2	24	-	160.50
8	0.96 c	4.5	-	-	POA

SHURJOINT #C21 Reducing Tee, Bronze Grooved Fitting(Gr x Gr x Gr)

Nom. Size	C-E	Approx. Wt.	Inner Carton	Crate Qty.	Red. Tee Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2 ½ x 2	3.20 c	1.6	12	-	112.50
3 x 2	3.50 c	2.2	9	-	145.00
3 x 2 ½	3.50 c	2.2	9	-	175.00
4 x 2	4.25 c	3.5	4	120	330.00
4 x 2 ½	4.25 c	3.6	4	120	330.00
4 x 3	4.25 c	3.7	4	120	330.00
5 x 3	5.94 c	7.4	-	50	POA
5 x 4	5.94 c	7.5	-	60	POA
6 x 2 ½	6.94 c	8	-	36	1,237.50
6 x 3	6.94 c	8	-	24	1,237.50
6 x 4	6.94 c	8.3	-	24	1,237.50
6 x 5	6.94 c	8.4	-	24	POA

7.0 Copper System

SHURJOINT #C50 Concentric Reducer, Bronze Grooved Fitting(Gr x Gr)

Nom.	Approx.		Crate		Conc. Reducer
Size	C-E	.Wt.	Inner Carton	Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2 ½ x 2	2.50 c	0.6	80	-	57.75
3 x 2	2.50 c	0.7	56	-	57.75
3 x 2 ½	2.50 c	0.7	42	-	57.75
4 x 2	3.00 c	1.2	24	790	120.00
4 x 2 ½	3.00 c	1.2	24	790	120.00
4 x 3	3.00 c	1.1	24	790	120.00
5 x 3	3.50 c	2	10	420	POA
5 x 4	3.50 c	2	10	420	POA
6 x 2 ½	4.00 c	2.7	6	250	371.25
6 x 3	4.00 c	2.7	3	250	371.25
6 x 4	4.00 c	2.7	6	250	371.25
6 x 5	4.00 c	2.7	6	250	POA

SHURJOINT #C26 Reducing Tee, Bronze/Copper, (Gr x Gr x Cup)

Nom.	Approx.		Crate		Reducing Tee
Size	C-E	.Wt.	Inner Carton	Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2 x ¾	2.20 c	0.7	-	-	85.50
2 x 1	2.33 c	0.7	-	-	85.50
2 x 1 ¼	2.48 c	0.8	-	-	85.50
2 x 1 ½	2.60 c	0.9	-	-	85.50
2 ½ x ¾	2.28 c	0.9	-	-	109.50
2 ½ x 1	2.40 c	1	-	-	106.50
2 ½ x 1 ¼	2.52 c	1.1	-	-	106.50
2 ½ x 1 ½	2.70 c	1.2	-	-	106.50
2 ½ x 2	2.95 c	2.6	-	-	106.50
3 x ¾	2.44 c	1.3	-	-	198.75
3 x 1	2.54 c	1.3	-	-	198.75
3 x 1 ¼	2.63 c	1.4	-	-	198.75
3 x 1 ½	2.85 c	1.5	-	-	198.75
3 x 2	3.11 c	2.6	-	-	198.75
4 x ¾	3.00 c	2.2	-	-	234.00
4 x 1	3.10 c	2.3	-	-	307.50
4 x 1 ¼	3.25 c	2.5	-	-	307.50
4 x 1 ½	3.35 c	2.5	-	-	307.50
4 x 2	3.62 c	4.1	-	-	307.50

7.0 Copper System

SHURJOINT #C52 Concentric Reducer, Bronze/Copper, (Gr x Cup)

Nom. Size (in)	E-E (in)	Approx. .Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Conc. Reducer Bronze Fitting (CAN\$)
2 x 1	2.70 c	0.3	120	-	48.00
2 x 1 ¼	3.00 c	0.4	90	-	48.00
2 x 1 ½	2.94 c	0.4	90	-	48.00
2 ½ x 1	3.25 c	0.5	60	-	58.50
2 ½ x 1 ¼	3.52 c	0.5	60	-	58.50
2 ½ x 1 ½	3.45 c	0.5	60	-	58.50
2 ½ x 2	3.30 c	0.5	45	-	58.50
3 x 1 ½	3.68 c	0.8	40	-	73.50
3 x 2	4.10 c	0.9	30	860	73.50
4 x 2	4.75 c	1.4	16	540	138.00

SHURJOINT #C55 Copper x Female Adapter, Bronze

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Adapter (CAN\$)
1 ½ x 2	0.6	1	-	120.00
2 x 2	0.7	1	-	120.00
2 ½ x 2 ½	0.8	1	-	160.00
3 x 3	1	1	-	190.00

SHURJOINT #C726 Y-Strainer for Bronze Tubing

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Y-Strainer Bronze (CAN\$)
2	0.4	-	110	585.00
2 ½	5.1	-	85	682.50
3	6.8	-	60	813.75
4	12.5	-	40	1,327.50
6	26.9	-	14	3,000.00

7.0 Copper System

SHURJOINT #SJ-C300 Butterfly Valve, Bronze for Copper Tubing

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Butterfly Valve Bronze (CAN\$)
2	4.9	2	-	460.00
2 ½	2.7	2	-	550.00
3	3	2	-	600.00
4	5	2	-	760.00
5	8	2	-	POA
6	9.8	2	-	950.00

SHURJOINT #DE30-GG Dielectric Transition Fitting (IPS to CTS)

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Dielectric Transition Fitting (CAN\$)
2 x 2	0.6	40	960	71.15
2 ½ x 2 ½	1.5	30	720	94.88
3 x 3	2	20	500	140.15
4 x 4	2.6	12	330	187.60
5 x 5	3.5	-	-	POA
6 x 6	4.6	5	130	269.53
8 x 8	6.9	-	-	POA

SHURJOINT #C723 Bronze Mechanical Tee for Copper Tubing (CTS)

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Dielectric Transition Fitting (CAN\$)
2 ½ x 1/2	1.43	-	-	112.50
2 ½ x 3/4	1.43	-	-	112.50
2 ½ x 1	1.43	-	-	112.50
2 ½ x 1-1/4	1.76	-	-	112.50
3 x 3/4	1.54	-	-	150.00
3 x 1	1.54	-	-	150.00
3 x 1-1/4	2.2	-	-	150.00
4 x 3/4	1.76	-	-	150.00
4 x 1	1.76	-	-	150.00
4 x 1-1/4	2.64	-	-	150.00

8.0 HDP Series

SHURJOINT #H305 HDP Coupling

Nom.	Approx.	Inner Carton	Crate	Cplg with Gr. "E" Gasket	Zinc	Spare Parts	
Size	Wt.		Qty.		Plated	plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(CAN\$)	(pcs)	(in)
2	5.7	12	300	102.30	POA	4	1/2 x 2-3/8
3	7.9	6	230	141.74	POA	4	1/2 x 2-3/4
4	11.4	4	110	182.57	POA	4	1/2 x 3
6	18	2	65	265.82	POA	4	5/8 x 3-1/2
8	27.5	1	36	369.07	POA	4	5/8 x 3-1/2
10	44	-	20	536.09	POA	4	3/4 x 5-1/2
12	56.1	-	14	718.94	POA	4	3/4 x 5-1/2
14	80.7	-	8	1,964.29	POA	4	1 x 6
16	100.1	-	-	2,621.09	POA	4	1 x 6
18	126.9	-	-	3,211.41	POA	4	1 x 6
20	141.9	-	-	4,362.10	POA	4	1 x 6

SHURJOINT #H307 HDP Transition Coupling

Nom.	Approx.	Inner Carton	Crate	Cplg with Gr. "E" Gasket	Zinc	Spare Parts	
Size	Wt.		Qty.		Plated	plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(CAN\$)	(pcs)	(in)
2	4.4	-	350	102.30	POA	4	1/2 x 2-3/8
3	5.9	-	320	141.74	POA	4	1/2 x 3
4	8.4	-	180	182.57	POA	4	1/2 x 3
6	12.5	-	108	262.46	POA	4	5/8 x 3-1/2
8	21.3	-	56	369.07	POA	4	5/8 x 3-1/2
10	35.2	-	26	536.09	POA	4	3/4 x 5-1/2
12	43.1	-	20	718.94	POA	4	3/4 x 5-1/2

8.0 HDP Series

SHURJOINT #H312 HDP Flange

Nom. Size	Approx. Wt.	Inner Carton (pcs.)	Crate Qty.	Flange with Gr. "E" Gasket (CAN\$)	Zinc Plated (CAN\$)	Spare Parts plated Bolt/Nut (pcs)	(in)
4	12.5	-	-	209.89	POA	2	5/8 x 1-5/8
6	17.2	-	-	305.70	POA	2	5/8 x 1-7/8
8	30.8	-	-	424.45	POA	2	3/4 x 2
10	41	-	-	1,112.48	POA	4	3/4 X2 1/4
12	55	-	-	1,611.25	POA	4	3/4 X 2 1/4

9.0 Plain End Products

SHURJOINT #79 Plain-End Piping System for Steel Pipe

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E or T EPDM (CAN\$)	E or T (CAN\$)	L SILICON (CAN\$)	Spare Parts Plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv	Painted	(pcs)	(in)
2	7	10	240	101.92	142.69	POA	2	5/8 x 3-1/4
2 1/2	7.3	8	192	105.44	147.61	POA	2	5/8 x 3-1/4
3	11	6	200	148.78	208.29	POA	2	3/4 x 4-3/4
4	14.3	3	115	162.84	227.97	POA	2	3/4 x 4-3/4
5	-	-	-	230.79	323.10	POA	-	-
6	28.6	-	50	287.02	401.82	POA	2	7/8 x 6-1/2
8	41.8	-	32	499.06	698.68	POA	4	3/4 x 4-3/4
10	52.8	-	12	656.04	918.46	POA	4	7/8 x 6-1/2
12	63.1	-	-	931.34	1,303.88	POA	4	1 x 6-1/2
14	79.2	-	-	1,165.64	1,631.90	POA	4	1 x 6-1/2
16	88	-	-	1,737.33	2,432.27	POA	4	1 x 6-1/2
18	127.6	-	-	5,154.60	7,216.44	POA	8	1 x 6-1/2
20	176	-	-	POA	POA	POA	8	1 x 6-1/2

10.0 AWWA Grooved System for Ductile Pipe

SHURJOINT A505 AWWA Grooved Couplings

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Painted (CAN\$) (pc)
3	4.8	-	-	109.13
4	7.3	-	230	141.45
6	9	-	120	181.38
8	15.4	-	70	314.91
10	22	-	-	397.86
12	29.7	-	-	576.75

SHURJOINT A507 AWWA Transition Coupling

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Painted (CAN\$) (pc)
3	6	-	-	222.33
4	8	-	240	255.70
6	9	-	150	311.33
8	18	-	70	388.62
10	22	-	-	496.72
12	31	-	-	665.87

SHURJOINT A512 AWWA Flange Adapter

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Painted (CAN\$) (pc)
3	5.4	-	-	277.31
4	8.2	-	-	334.98
6	12	-	-	402.97
8	17.4	-	-	498.81
10	24.6	-	-	708.99
12	34.4	-	-	946.67

10.0 AWWA Grooved System for Ductile Pipe

SHURJOINT A49 Sandwich Plate for AWWA Flange Adapter

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Zinc Plated (CAN\$)	SS316 (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
3	-	-	-	POA	POA
4	-	-	-	POA	POA
6	-	-	-	POA	POA
8	-	-	-	POA	POA
10	-	-	-	POA	POA
12	-	-	-	POA	POA

SHURJOINT A10 AWWA Grooved 90' Elbow

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cement Lined (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
3	8.6	-	-	171.74
4	12	-	80	196.04
6	22	-	40	325.27
8	38	-	20	517.41
10	76	-	-	1,184.42
12	92	-	-	1,425.26

SHURJOINT A11 AWWA Grooved 45' Elbow

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cement Lined (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
3	5.8	-	-	139.61
4	8.4	-	140	182.49
6	15	-	40	282.00
8	28.8	-	32	451.16
10	43.3	-	-	719.59
12	72	-	-	1,089.00

10.0 AWWA Grooved System for Ductile Pipe

SHURJOINT A20 AWWA Grooved Tee

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Cement Lined (CAN\$) (pc)
3	14.2	-	-	236.23
4	19	-	60	279.00
6	34	-	22	425.12
8	59	-	12	673.00
10	111	-	-	1,528.00
12	136	-	-	1,899.25

SHURJOINT A60 AWWA Grooved Cap

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Cement Lined (CAN\$) (pc)
3	4.79	-	-	104.10
4	5	-	990	105.88
6	9	-	450	173.79
8	16	-	200	271.28
10	37.2	-	-	458.44
12	52	-	-	556.00

SHURJOINT A25 AWWA Grooved Reducing Tee

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Cement Lined (CAN\$) (pc)
4 x 3	26.4	-	60	304.84
6 x 4	46	-	24	428.26
8 x 4	78	-	15	550.00
8 x 6	80	-	15	631.55
10 x 4	120	-	-	POA
10 x 6	128	-	-	POA
10 x 8	130	-	-	POA
12 x 4	112	-	-	POA
12 x 6	180	-	-	POA
12 x 8	186	-	-	POA
12 x 10	192	-	-	POA

10.0 AWWA Grooved System for Ductile Pipe

SHURJOINT A50 AWWA Grooved Concentric Reducer

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Cement Lined (CAN\$) (pc)
4 x 3	10	-	200	253.25
6 x 4	16.5	-	100	332.17
8 x 4	28	-	60	467.07
8 x 6	34	-	45	487.00
10 x 4	42	-	-	POA
10 x 6	46	-	-	POA
10 x 8	50	-	-	POA
12 x 4	60	-	-	POA
12 x 6	70	-	-	POA
12 x 8	74	-	-	POA
12 x 10	84	-	-	POA

SHURJOINT A10R AWWA Grooved Reducing Elbow

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Cement Lined (CAN\$) (pc)
4 x 3	17	-	100	393.00
6 x 4	29.6	-	48	459.86
8 x 4	46.5	-	24	576.99
8 x 6	48.5	-	24	667.67
10 x 6	77	-	-	POA
10 x 8	88	-	-	POA
12 x 6	110	-	-	POA
12 x 8	126	-	-	POA
12 x 10	150	-	-	POA

11.0 Parts

Rubber Gasket for #7705 / #7707 / Z-07 / #Z05 / #G28 Coupling

Nom. Size	Approx. Wt.	Inner Carton	E EPDM (CAN\$)	E E-PW EPDM (CAN\$)	T Nitrile (CAN\$)	O Viton (CAN\$)	L Silicon (CAN\$)	A White Nitrile (CAN\$)	V Neoprene (CAN\$)
(in)	(lbs)	(pcs.)	(pc)	(pc)	(pc)	(pc)	(pc)	(pc)	(pc)
1	0.05		4.77	6.39	4.77	63.71	13.01	POA	POA
1 ¼	0.05	210	5.45	6.49	5.45	64.86	13.46	POA	POA
1 ½	0.06	170	6.41	7.76	6.41	70.25	16.22	11.18	POA
2	0.08	120	6.99	8.45	6.99	75.63	17.75	11.46	POA
2 ½	0.09	100	7.56	9.13	7.56	82.04	19.48	12.51	POA
3	0.1	65	8.14	9.80	8.14	118.82	20.45	13.49	POA
3 ½	0.1	65	11.85	13.85	11.85	-	-	-	-
4	0.21	40	11.85	14.18	11.85	178.30	30.32	19.53	POA
5	0.26	33	15.06	18.09	15.06	221.37	37.75	24.80	POA
6	0.31	25	16.22	19.46	16.22	232.27	41.02	26.69	POA
8	0.54	15	28.07	33.63	28.07	459.03	77.68	46.15	POA
10	0.64	12	48.52	58.29	48.52	863.96	151.19	-	POA
12	0.81	-	56.66	68.01	56.66	1,025.98	173.22	-	POA
14	1.45	-	67.43	POA	67.43	1,241.84	199.71	-	POA
16	1.49	-	75.63	POA	75.63	1,349.90	226.82	-	POA
18	1.72	-	143.69	POA	143.69	2,591.87	431.91	-	POA
20	1.88	-	153.31	POA	153.31	2,753.76	459.03	-	POA
24	2.27	-	189.07	POA	189.07	3,185.75	529.15	-	POA

GapSeal Gasket for #7705 / #7707 / Z-07 / #Z07 / #Z05 / #G28 Coupling

Nom. Size	Approx. Wt.	Inner Carton	E EPDM (CAN\$)	E-PW Potable Water (CAN\$)	T Nitrile (CAN\$)	O Vitron (CAN\$)	L Silicon (CAN\$)	A White Nitrile (CAN\$)	V Neoprene (CAN\$)
(in)	(lbs)	(pcs.)	(pc)	(pc)	(pc)	(pc)	(pc)	(pc)	(pc)
1 ¼	0.05	210	8.14	6.49	8.14	POA	POA	POA	POA
1 ½	0.06	170	9.68	7.76	9.68	POA	POA	POA	POA
2	0.08	120	10.51	8.45	10.51	POA	POA	15.76	POA
2 ½	0.09	100	11.41	9.13	11.41	POA	POA	16.99	POA
3	0.1	65	12.05	9.80	12.05	POA	POA	18.14	POA
4	0.21	40	17.75	14.18	17.75	POA	POA	26.66	POA
5	0.26	33	22.68	18.09	22.68	POA	POA	34.10	POA
6	0.31	25	24.36	19.46	24.36	POA	POA	36.53	POA
8	0.73	15	42.17	33.63	42.17	POA	POA	63.20	POA
10	6.16	1	72.93	58.29	72.93	POA	POA	POA	POA
12	6.61	1	85.05	68.01	85.05	POA	POA	POA	POA
14	1.9	1	POA	POA	POA	POA	POA	POA	POA
16	1.95	1	POA	POA	POA	POA	POA	POA	POA
18	2.25	1	POA	POA	POA	POA	POA	POA	POA
20	2.45	1	POA	POA	POA	POA	POA	POA	POA
24	3	1	POA	POA	POA	POA	POA	POA	POA

11.0 Parts

Rubber Gasket for #7706 Reducing Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	E-PW Potable Water (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
2 x 1 ½	0.13	1	-	6.99	POA	6.99
2 ½ x 2	0.1	1	-	9.17	POA	9.17
3 x 2	0.18	1	-	10.77	POA	10.77
3 x 2 ½	0.27	1	-	10.77	POA	10.77
4 x 2	0.31	1	-	15.06	POA	15.06
4 x 2 ½	0.4	1	-	15.70	POA	15.70
4 x 3	0.29	1	-	16.22	POA	16.22
5 x 4	0.52	1	-	23.43	POA	23.43
6 x 3	0.53	1	-	23.72	POA	23.72
6 x 4	0.53	1	-	21.60	POA	21.60
8 x 6	0.77	1	-	35.12	POA	35.12

Rubber Gasket for #7041 / #7043 Flanges

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
2	0.05	180	-	6.79	6.79
2 ½	0.06	120	-	8.14	8.14
3	0.08	100	-	9.17	9.17
4	0.1	80	-	12.69	12.69
5	0.14	50	-	14.55	14.55
6	0.17	40	-	16.22	16.22
8	0.29	25	-	25.38	25.38
10	0.43	1	-	43.20	43.20
12	0.75	1	-	57.23	57.23
14	0.91	1	-	122.48	122.48
16	1.25	1	-	138.45	138.45
18	1.82	1	-	175.73	175.73
20	2.28	1	-	202.35	202.35
24	2.74	1	-	266.25	266.25

11.0 Parts

Rubber Gasket for #C-7 Outlet Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
1 ½	0.08	1	-	21.60	21.60
2	0.09	1	-	27.05	27.05
2 ½	0.13	1	-	32.37	32.37
3	0.16	1	-	43.20	43.20
4	0.32	1	-	64.86	64.86
6	0.4	1	-	91.78	91.78

Rubber Gasket for #7721 / #7722 Mechanical Tee

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs)	(pcs)	(pc)	(pc)
2 x 1 ½ ~1	0.03	-	-	5.90	5.90
2 x 1 ¼ ~ 1 ½	0.03	-	-	5.90	5.90
2 ½ x 1 ½ ~1	0.03	-	-	5.90	5.90
2 ½ x 1 ¼ ~ 1 ½	0.04	-	-	5.90	5.90
3 x 1 ½ ~1	0.02	-	-	5.90	5.90
3 x 1 ¼ ~ 1 ½	0.04	-	-	5.90	5.90
3 x 2	0.06	-	-	5.90	5.90
4 x 1 ½ ~1	0.02	-	-	7.56	7.56
4 x 1 ¼ ~ 1 ½	0.04	-	-	7.56	7.56
4 x 2	0.06	-	-	7.56	7.56
4 x 2 ½	0.07	-	-	7.56	7.56
4 x 3	0.09	-	-	7.56	7.56
5 x 2	0.05	-	-	7.56	7.56
5 x 2 ½	0.06	-	-	7.56	7.56
6 x 1 ¼ ~ 1 ½, 2, 2 ½	0.04	-	-	9.68	9.68
6 x 3	0.09	-	-	9.68	9.68
6 x 4	0.12	-	-	9.68	9.68
8 x 3	0.15	-	-	15.98	15.98
8 x 4	0.15	-	-	15.98	15.98

11.0 Parts

Rubber Gasket for #723 Mechanical Tee, Gr. E (EPDM)

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	E (CAN\$) (pc)	T (CAN\$) (pc)
1 ¼, 1 ½ x ½, ¾, 1	0.02	-	-	4.26	-
2, 2 ½ x ½, ¾, 1	0.02	-	-	4.26	-

Rubber Gasket for #H305 & #79 Coupling

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	E EPDM (CAN\$) (pc)	T NITRILE (CAN\$) (pc)	L SILICON (CAN\$) (pc)
2	0.13	-	-	POA	POA	POA
2 ½	0.18	-	-	POA	POA	POA
3	0.18	-	-	POA	POA	POA
4	0.35	-	-	POA	POA	POA
6	0.53	-	-	POA	POA	POA
8	0.84	-	-	POA	POA	POA
10	1.01	-	-	POA	POA	POA
12	1.32	-	-	POA	POA	POA
14				POA	POA	POA
16				POA	POA	POA
18				POA	POA	POA
20				POA	POA	POA

Rubber Gasket for #H307 HDP Transition Coupling

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	E EPDM (CAN\$) (pc)	T NITRILE (CAN\$) (pc)	L SILICON (CAN\$) (pc)
2	0.08	-	-	POA	POA	POA
2 ½	0.09	-	-	POA	POA	POA
3	0.1	-	-	POA	POA	POA
4	0.21	-	-	POA	POA	POA
6	0.31	-	-	POA	POA	POA
8	0.54	-	-	POA	POA	POA
10	0.64	-	-	POA	POA	POA
12	0.81	-	-	POA	POA	POA

11.0 Parts

Rubber Gasket for #H312 HDP Flange

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)	L SILICON (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
4	0.23	-	-	POA	POA	POA
6	0.32	-	-	POA	POA	POA
8	0.54	-	-	POA	POA	POA

Rubber Gasket for "EP" XH-70 Couplings

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)	L SILICON (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
2		-	-	17.06	17.06	POA
2 ½		-	-	18.29	18.29	POA
3		-	-	19.67	19.67	POA
4		-	-	28.78	28.78	POA
6		-	-	39.35	39.35	POA
8		-	-	68.28	68.28	POA

Rubber Gasket for C301/C305 Couplings E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
2		-	-	10.64
2 ½		-	-	11.47
3		-	-	12.05
4		-	-	17.82
5		-	-	22.68
6		-	-	24.48

Rubber Gasket for C307 Couplings E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pc)
2 x 2		-	-
2 -1/2 x 2-1/2		-	-
3 x 3		-	-
4 x 4		-	-

11.0 Parts

Rubber Gasket for C306 Reducing Couplings

E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
2-1/2 x 2		-	-	9.17
3 x 2		-	-	10.83
3 x 2-1/2		-	-	10.83
4 x 2-1/2		-	-	15.70
4 x 3		-	-	16.22
5 x 4		-	-	18.33
6 x 4		-	-	21.60

Rubber Gasket for C341 Flange, E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
2		-	-	6.67
2 1/2		-	-	8.07
3		-	-	9.17
4		-	-	12.63
5		-	-	14.55
6		-	-	16.22

Rubber Gasket for A505 AWWA Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	M	S
				Butyl (CAN\$)	Nitrile (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
3		-	-	13.40	13.40
4		-	-	19.54	19.54
6		-	-	26.80	26.80
8		-	-	46.27	46.27
10		-	-	80.25	80.25
12		-	-	93.57	93.57

11.0 Parts

Rubber Gasket for A507 AWWA Transition Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	M Butyl (CAN\$)	S Nitrile (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
3 x 3		-	-	16.09	16.09
4 x 4		-	-	23.46	23.46
6 x 6		-	-	32.05	32.05
8 x 8		-	-	55.51	55.51
10 x 10		-	-	96.27	96.27
12 x 12		-	-	112.36	112.36

Rubber Gasket for A512 AWWA Flange

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	M Butyl (CAN\$)	S Nitrile (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
3		-	-	11.02	11.02
4		-	-	15.12	15.12
6		-	-	19.46	19.46
8		-	-	30.45	30.45
10		-	-	51.85	51.85
12		-	-	68.70	68.70

11.0 Parts

Track Bolt c/w Heavy Duty Nut

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Zinc Plated (CAN\$)	Galvanized (CAN\$)
(in)	(lbs)	(pcs)	(pcs)	(pc)	(pc)
3/8x1-3/4 (45)	0.09	-	-	POA	POA
3/8x2-1/8 (55)	0.1	-	-	POA	POA
3/8x2-3/4 (70)	0.11	-	-	POA	POA
1/2x2-3/8 (60)	0.17	-	-	POA	POA
1/2x2-3/4 (70)	-	-	-	POA	POA
1/2x3 (75)	0.2	-	-	POA	POA
5/8x2-3/4 (70)	-	-	-	POA	POA
5/8x3-1/2 (90)	0.37	-	-	POA	POA
5/8x5-5/16 (135)	0.5	-	-	POA	POA
3/4x4-3/4 (120)	0.75	-	-	POA	POA
7/8x4 (100)	1.04	-	-	POA	POA
7/8x5-1/2 (140)	-	-	-	POA	POA
7/8x6-1/2 (165)	1.39	-	-	POA	POA
1x3-1/2 (90)	1.39	-	-	POA	POA
1x5-1/2 (140)	-	-	-	POA	POA
1x6-1/2 (165)	-	-	-	POA	POA
1-1/4 x 4-1/2 (115)	-	-	-	POA	POA

Stainless Steel Track Bolt with Heavy Duty Nut

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	304 (CAN\$)	316 (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
5/16 x 1-1/2 (38)	0.05	-	-	POA	POA
3/8 x 2 (50)	0.1	-	-	POA	POA
1/2 x 3 (75)	0.23	-	-	POA	POA
5/8 x 3-1/2 (90)	0.43	-	-	POA	POA
3/4 x 4-3/4 (120)	0.81	-	-	POA	POA
7/8 x 6-1/2 (165)	1.44	-	-	POA	POA

11.0 Parts

SHURJOINT Lubricant

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	(CAN\$) (pc)
2 pounds	2	9	-	POA
1 pound	1	24	-	POA

SHURJOINT Grooved Wrenches

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	(CAN\$) (pc)
#1 Wrench 11/16 x 7/8	1.5	25	-	76.55
#2 Wrench 7/8 x 1 1/16	1.5	25	-	76.55

12.0 Ring Joint Couplings

SHURJOINT R-88 Ring Couplings

Nom. Size (in)	Approx. Wt. (lbs)	Housing Painted (pc)	Housing Galvanized (pc)	Carbon Ring (pc)	Stainless Ring (pc)
8	8.70	178.23	217.46	18.16	45.39
10	10.63	217.27	264.07	24.37	60.92
12	15.00	284.73	374.89	25.60	64.02
14	17.40	360.55	439.87	28.32	70.81
16	18.67	489.73	597.48	32.21	80.50
18	30.29	591.11	721.14	36.32	90.79
20	37.04	923.53	1126.71	70.61	176.53
22	50.00	POA	POA	POA	POA
24	49.70	1052.95	1284.61	86.05	215.14
26	59.00	2044.09	POA	POA	POA
28	101.00	POA	POA	POA	POA
30	105.50	1931.67	3655.93	106.54	266.36
32	110.00	POA	POA	POA	POA
34	115.00	POA	POA	POA	POA
36	120.00	POA	POA	POA	POA
38	125.00	POA	POA	POA	POA
40	141.00	POA	POA	POA	POA
42	148.60	7841.02	12845.27	269.88	POA
44	156.00	POA	POA	POA	POA
48	199.54	POA	POA	POA	POA
52	206.00	POA	POA	POA	POA
54	214.60	POA	POA	POA	POA
56	222.00	POA	POA	POA	POA
60	244.20	POA	POA	POA	POA
66	278.40	POA	POA	POA	POA
68	290.00	POA	POA	POA	POA
72	335.30	17692.41	21584.74	POA	POA
80	348.50	POA	POA	POA	POA
84	354.70	POA	POA	POA	POA
96	374.20	POA	POA	POA	POA